Acoustic Sticks



Brand: **Zintra**



Acoustic Sticks



Sticks Trim Spotted Gum



Sticks Trim Ironbark Ceiling



Sticks Trim Detail

Acoustic Sticks

Sticks Trim are designed to complement Zintra Sticks Bundles. Impeccably finish around windows, doors, ceiling services and GPOs with Zintra Sticks Trim.

✓ Acoustic✓ Easy Install	✓ Bleach Cleanable	✓ Easy Clean
Description	Zintra Sticks are a versatile range of fabricated acoustic sticks designed for easy installation in any space.	
	Sticks Trim are designed to complement Zintra Sticks Bundles. Impeccably finish around windows, doors, ceiling services and GPOs with our Sticks Trim. Supplied a a separate right-angle piece, Sticks Trim is easily cut in the field to mitre or butt join and glue to Sticks sets to provide a matching Timber finish to exposed ends Additionally, a selection of Sticks are available to address transitions, and corners, ensuring a comprehensive solution tailored to your space.	
Dimensions	Sticks Trim:	
	2745mm (108") h x 73mm (2.88") w x 7	/3mm (2.88") d
Composition	Zintra Acoustic Panel - 100% Solution	Dyed (Colour Through) Polyester
	12mm (1/2") -Density 2.4 kg /m² 0.5 lb	/ft²
Finishes	Zintra Panel - Matt. Check out the Zintra 12mm colour range in the DOWNLOADS	
Pattern Repeat Size	N/A	
Sustainability	Zintra is made from 100% recyclable n	naterials.
	60% post-consumer recycled content from PET bottles.	
	• 35% pre-consumer recycled content from PET chips	
	• 5% polylactic acid (PLA)	



Acoustic Sticks

Fire Rating ASTM-E84 – Class A classification

AS ISO 9705 - 2003 - Group 1 classification

EN-13501 - B-s2-d0 classification

Warranty Visit FAQ for more details.

Assembly & Delivery Ships flat pack except Sticks Trim. Assembly required.

Go to the Technical Documents and download the Installation Guide for more

details.

Supplied As Trim:

1 x Zintra Trim

Suggested Installation Ships assembled.

Download Installation Guide for full instructions.

Fabrication Techniques Stanley knife and straight edge

How to Specify

1. Zintra Colour

Care Instructions

Vacuum to remove dust.

Dab Zintra with a damp clean cloth and mild solution of liquid detergent and warm

water. Repeat using only clean water, then pat dry with a lint free cloth.

For difficult stains, use a solution of household bleach (10% bleach / 90% water). To remove the bleach, repeat using a clean, water dampened cloth, then pat dry.

Always test in an inconspicuous area first and if you don't see the expected results,

contact us.

Customisable

The Zintra Acoustic Solutions range is customisable to your project. Please get in

touch with your local contact for details.

Additional Comments

NRC Rating:

• Directly mounted: 0.8

• With 6" (152mm) Air Gap: Up to 0.95



Color & Finish Options

Zintra 12mm Solid PET





zintraacoustic.com



Acoustic Sticks











Zintra Timber Print









Eucalyptus

Merbau

6 of 6

Spotted Gum