
Acoustic Panels



Brand: **Zintra** 

Collections: 3D Panel


Applications: Walls



Acoustic Panels



3D Panel Batten 2 Bark



3D Panel Batten Close up



3D Panel Batten 2 Detail

Acoustic Panels

Zintra 3D Panels Batten 2 offer both an intriguing design element and functional acoustic enhancement. Add depth and design to flat surfaces which absorb sound and cancel out soundwaves.

<ul><li>✓ Acoustic</li><li>✓ Easy Clean</li></ul>	✓ Bleach Cleanable	✓ Easy Install	
Description	Seamlessly joined, our 3D Wall Panels offer both an intriguing design element and functional acoustic enhancement for straight or curved walls. These narrow panels boast a small pattern repeat, facilitating easy adjustment for wall-to-wall fitting without the need for custom drawings.		
	Our <b>Batten</b> design is inspired by the timeless appeal of the board and batten pattern. Designed to bring a touch of architectural elegance and visual interest to your space. Featuring alternating wide boards and vertical battens, this captivating pattern creates a dynamic and textured surface. Its classic yet versatile design effortlessly adds a sense of depth and character to any project.		
	Also Available in Batten 4, Batten 6 and Peaks design		
	of angular protrusions arranged in	eaks of mountains. This panel features a series a symmetrical pattern, creating a dynamic and and intricate design make it suitable for a n offices and conference rooms to	
	serves a functional purpose by enh	ribute to the aesthetics of a space, but it also ancing sound absorption and cancelling out ds depth and dimension to flat surfaces, otivating focal points.	
	Not suitable as a free standing prod	duct.	
Composition	Zintra Acoustic Panel - 100% Soluti	on Dyed (Colour Through) Polyester	
	12mm (1/2") -Density 2.4 kg /m² 0.5 lb/ft²		
Sustainability	Zintra is made from 100% recyclable materials.		
	60% post-consumer recycled content from PET bottles.		
	• 35% pre-consumer recycled content from PET chips		
	• 5% polylactic acid (PLA)		



Acoustic Panels

Dimensions	Batten 2:	
	• 3 Strips/ set, 1.7m² (18.1SF)	
	• 218mm (8.6") w x 2745mm (108.1") h x 37mm (1.5") d / strip	
	**Please note: Visible width 206mm (8.1")	
Fire Rating	ASTM-E84 – Class A classification AS ISO 9705 – 2003 – Group 1 classification EN-13501 – B-s2-d0 classification	
Supplied As	Batten 2   3 Strips (Set) 1.7m² (18.1SF)	
Assembly & Delivery	Ships Flat Packed. Refer Installation instructions.	
	Recommended 2 People assembly	
	Go to the Technical Documents and download the Installation Guide for more details.	
Suggested Installation	Go to Technical Documents and download the Installation Guide for more details.	
Care Instructions	Vacuum to remove dust.	
	Dab Zintra with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth.	
	For difficult stains, use a solution of household bleach (10% bleach / 90% water). To remove the bleach, repeat using a clean, water dampened cloth, then pat dry.	
	Always test in an inconspicuous area first and if you don't see the expected results, contact us.	
Warranty	Visit FAQ for more details.	
Customisable	Zintra Acoustic Panel - 100% Solution Dyed (Colour Through) Polyester	
	12mm (1/2") - Density 2.4 kg /m² 0.5 lb/ft²	
Additional Comments	NRC 0.45	



Acoustic Panels

How to Specify 1. Select Design

2. Select Zintra Colour



5 of 7

#### Color & Finish Options

#### Zintra 12mm Solid PET







Acoustic Panels











Zintra Timber Print









Eucalyptus

Merbau

Spotted Gum