Acoustic Panels



Brand: Zintra

Collections: Etch Panel

Applications: Walls, Ceilings



Acoustic Panels



Etch Panel VJ Angle Detail

2 of 8

Acoustic Panels

Explore the possibilities of spatial perception and artistic expression with Zintra Etch 3D panels, VJ Board Anale desian.

Angle design.		
✓ Acoustic	✓ Bleach Cleanable ✓ Easy Clean	
✓ Easy Install		
Description	Zintra Etch, where acoustic absorption meets dynamic 3D design. With a rang subtle textures, Zintra Etch brings cutting-edge aesthetics and acoustic functionality to your commercial, hospitality, or institutional interior.	je of
	Discover the extensive selection of understated to statement Colours in Zintr Etch, allowing you to create a welcoming atmosphere while effectively manag sound. This cost-effective sound and design solution cultivates calming environments, promoting productivity and well-being.	
	Zintra Etch seamlessly integrates with plain Zintra panels, offering versatility design coordination. You can also explore the option of replicating your unique Etch pattern in Zintra on Zintra, for a truly customised solution.	
	Experience the benefits of Zintra Etch, including pattern matching with seaml hidden joins (excluding VJ Angle and Kaleido). The panel size enables join-fre installations from floor to ceiling, making the fitting process effortless.	
	VJ Board Angle: Add a geometric twist to your space with VJ Angle, where diagonal lines and angular shapes create a captivating visual spectacle. With modern aesthetic and architectural sophistication, VJ Angle adds a dynamic to any interior, turning walls into statements of contemporary design.	
	Zintra Etch is available in 15 great designs	
	Craze Cubix Deviate Kaleido Lamella Reed Bed Sine Spectrum Tesse Tetris Vino VJ Board Angle VJ Board Narrow VJ Board Wide Volta:	elate
	Etch is a 3mm deep V groove.	
	Not suitable as a free standing product.	
Composition	Zintra Acoustic Panel - 100% Solution Dyed (Colour Through) Polyester	
	12mm (1/2") - Density 2.4 kg /m² 0.5 lb/ft²	
Sustainability	Zintra is made from 100% recyclable materials.	
	60% post-consumer recycled content from PET bottles.	
	35% pre-consumer recycled content from PET chips	
	• 5% polylactic acid (PLA)	
Dimensions	1219mm (48") x 2743mm (108") x 12mm (½")	



zintraacoustic.com

Acoustic Panels

Fire Rating	ASTM-E84 – Class A classification AS ISO 9705 – 2003 – Group 1 classification EN-13501 – B-s2-d0 classification
Supplied As	Zintra Etch panel in selected pattern
Fabrication Techniques	Utility knife and CNC with oscillating knife.
Assembly & Delivery	Ships Flat Pack
	Install using one of these four common techniques.
	1. Direct to the substrate
	2. Z-Clips
	3. Stand Offs
	4. Mechanical Fastener
	Go to the Technical Documents and download the Installation Guide for more details.
Suggested Installation	Go to Technical Documents and download the Installation Guide for more details.
Care Instructions	Vacuum to remove dust.
	Dab Zintra with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth.
	For difficult stains, use a solution of household bleach (10% bleach / 90% water). To remove the bleach, repeat using a clean, water dampened cloth, then pat dry.
	Always test in an inconspicuous area first and if you don't see the expected results, contact us.
Warranty	Visit FAQ for more details.
Customisable	The Zintra Acoustic Solutions range is customisable to your project. Please get in touch with your local contact for details.
Additional Comments	NRC 0.45 -0.95



Acoustic Panels

How to Specify 1. Select Etch design

2. Select Zintra Colour



Color & Finish Options


Zintra 12mm Solid PET



6 of 8



Acoustic Panels



Zintra Premium Material



Acoustic Panels

