
Acoustic Panels



1 of 6

Brand: **Zintra**

Collections: Texture Panel

Applications: Ceilings, Walls



Acoustic Panels



Texture Corbe Detail



Texture Corbe Panel

Acoustic Panels

Innovative 3-dimensional Zintra Texture Panel designs, from sleek lines to captivating patterns. Corbe adds depth and style while enhancing acoustics. Ideal for modern or classic settings in bustling public spaces.

| ✓ Acoustic✓ Easy Clean | ✓ Bleach Cleanable | ✓ Easy Install | |
|---|--|-----------------------------------|--|
| Description | Zintra Textures offers subtle and engaging 3-dimensional panel designs. Each design incorporates aspects that reduce echoes by changing the angle of sound reflecting off the surface. It makes them ideal for noisy public spaces that need a little flair. | | |
| | Zintra Acoustic Textures not only highlight the fantastic acoustic qualities of Zintra Acoustic Panel, but also the incredible fabrication capabilities Zintra has to offer. Zintra's wide range of designs and colours slip easily into classic or modern settings. Corbe: The graceful movement of curved lines creates a visually mesmerizing effect, inviting a sense of intrigue and beauty. | | |
| | | | |
| | The subtle 3-dimensional relief of these designs not only adds dimension to your surrounding but also provides excellent acoustics. Zintra Textures, slip seamlessly into classic or modern settings, adding a touch of innovation and sophistication to noisy public spaces. | | |
| | Available in 15 designs | | |
| | Carre Cercles Corbe Diamont Droit Echelle Etoile Hexagone Nenuphar Paume Signe Tessan Tissage Trappe Vague | | |
| | Enhance your space with the innovative style of Zintra Textures. | | |
| | Not suitable as a free standing product. | | |
| Composition | Zintra Acoustic Panel - 100% Solutio | n Dyed (Colour Through) Polyester | |
| | • 12mm (1/2") - Density 2.4 kg /m² 0.5 lb/ft² | | |
| | • 24mm (1") - Density 3.6 kg/m² 0.7 | 75 lb/ft² | |
| Sustainability | Zintra is made from 100% recyclable | materials. | |
| | 60% post-consumer recycled content from PET bottles. | | |
| | 35% pre-consumer recycled content from PET chips | | |
| | • 5% polylactic acid (PLA) | | |
| Dimensions | 1219mm (48") x 2743mm (108") x 24mm (1") | | |



Acoustic Panels

| Fire Rating | ASTM-E84 – Class A classification AS ISO 9705 – 2003 – Group 1 classification EN-13501 – B-s2-d0 classification | |
|---------------------------|---|--|
| Supplied As | Zintra Textures panel in selected pattern. | |
| Assembly & Delivery | embly & Delivery Ships Flat Pack | |
| | Go to the Technical Documents and download the Installation Guide for more details. | |
| | To install with an air gap, Zintra Texture Panel must be laminated to a solid backer. (MDF etc., to allow the push outs to extend from the panel) to allow for the air gap. | |
| Suggested Installation | Go to Technical Documents and download the Installation Guide for more details. | |
| Care Instructions | Vacuum to remove dust. | |
| | Dab Zintra with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth. | |
| | For difficult stains, use a solution of household bleach (10% bleach / 90% water). To remove the bleach, repeat using a clean, water dampened cloth, then pat dry. | |
| | Always test in an inconspicuous area first and if you don't see the expected results, contact us. | |
| Warranty | Visit FAQ for more details. | |
| Customisable | The Zintra Acoustic Solutions range is customisable to your project. Please get in touch with your local contact for details. | |
| Additional Comments | NRC 0.45-0.90 | |
| How to Specify | Select Texture design Select Tintre Colour | |
| | 2. Select Zintra Colour | |



Color & Finish Options

Zintra 12mm Solid PET







Acoustic Panels

