Acoustic Panels



Brand: **Zintra** 



Acoustic Panels





Texture Echelle Detail

Texture Echelle Panel

Acoustic Panels

Innovative 3-dimensional Zintra Texture Panel designs, from sleek lines to captivating patterns. Echelle adds depth and style while enhancing acoustics. Ideal for modern or classic settings in bustling public spaces.

<ul><li>✓ Acoustic</li><li>✓ Easy Clean</li></ul>	✓ Bleach Cleanable	✓ Easy Install
Description	Zintra Textures offers subtle and engaging 3-dimensional panel designs. Each design incorporates aspects that reduce echoes by changing the angle of sound reflecting off the surface. It makes them ideal for noisy public spaces that need a little flair.	
	Zintra Acoustic Textures not only highlight the fantastic acoustic qualities of Zintra Acoustic Panel, but also the incredible fabrication capabilities Zintra has to offer. Zintra's wide range of designs and colours slip easily into classic or modern settings.	
	<b>Echelle:</b> The interplay of horizontal and vertical lines forms a captivating rhythm, evoking a sense of movement and depth.	
	The subtle 3-dimensional relief of these designs not only adds dimension to your surrounding but also provides excellent acoustics. Zintra Textures, slip seamlessly into classic or modern settings, adding a touch of innovation and sophistication to noisy public spaces.	
	Available in 15 designs	
	Carre   Cercles   Corbe   Diamont   Droit   Echelle   Etoile   Hexagone   Nenuphar   Paume   Signe   Tessan   Tissage   Trappe   Vague	
	Enhance your space with the innovative style of Zintra Textures.	
	Not suitable as a free standing product.	
Dimensions	1219mm (48") x 2743mm (108") x 24mm (1")	
Composition	Zintra Acoustic Panel - 100% Solution Dyed (Colour Through) Polyester	
	• 12mm (1/2") - Density 2.4 kg /m² 0.5 lb/ft²	
	• 24mm (1") - Density 3.6 kg/m² 0.75 lb/ft²	
Sustainability	Zintra is made from 100% recyclable materials.	
	60% post-consumer recycled content from PET bottles.	
	• 35% pre-consumer recycled content from PET chips	
	• 5% polylactic acid (PLA)	



Acoustic Panels

Fire Rating	ASTM-E84 – Class A classification AS ISO 9705 – 2003 – Group 1 classification EN-13501 – B-s2-d0 classification	
Warranty	Visit FAQ for more details.	
Assembly & Delivery	Ships Flat Pack Go to the Technical Documents and download the Installation Guide for more details.	
Supplied As	Zintra Textures panel in selected pattern.	
Suggested Installation	Go to Technical Documents and download the Installation Guide for more details.	
How to Specify	Select Texture design     Select Zintra Colour	
Care Instructions	Vacuum to remove dust.  Dab Zintra with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth.  For difficult stains, use a solution of household bleach (10% bleach / 90% water). To remove the bleach, repeat using a clean, water dampened cloth, then pat dry.  Always test in an inconspicuous area first and if you don't see the expected results, contact us.	
Customisable	The Zintra Acoustic Solutions range is customisable to your project. Please get in touch with your local contact for details.	
Additional Comments	NRC 0.45-0.90	



#### Color & Finish Options

#### Zintra 12mm Solid PET



5 of 6



Acoustic Panels

