

Brand: **Zintra** Collections: **Etch Tiles** Applications: **Walls**

Tiles



Etch Tiles Fluted Detail

9 Tile Assembly

		_		
		_		
	_			

Assembly Suggestions Etch Tiles Fluted



Etch Tiles Fluted Detail 2



Etch Tiles Fluted Detail



Tiles

Every line tells a story with Zintra Etch Tiles, Fluted. Sculptural, dynamic, and diverse in design, they inspire endless possibilities for dynamic arrangements and playful pattern exploration.

✓ Bleach Cleanable✓ Easy Clean	✓ Acoustic	✓ Easy Install					
Description	Zintra Etch Tiles, where acoustic absorption meets dynamic 3D design. Crafted using a 3mm v-groove, the angled blade creates contemporary, design-led patterns that add a touch of sophistication to any space. Whether you're aiming for a progressive, modern interior or a welcoming atmosphere, Zintra Etch offers a range of subtle textures to suit your design needs.						
	Tiles offer a cost-effective solution appeal in commercial, hospitality,	f understated to statement Colours, Zintra Etch on to enhance both sound quality and visual and institutional interiors. Create calming e tiles, which can be seamlessly integrated with look.					
	Install either wall to wall or as fea commercial, education or hospita	ture artwork to create an option suitable for any lity environment.					
	Fluted						
		blending classic charm with a contemporary ant backdrop for a myriad of design applications.					
	Available in 15 designs						
		Diamond* Fluted Herringbone* Hexagon* * Shadow Box Square* Trapezium* Triangle*					
	* Notes designs available in both	Plain and Etch.					
	Sold in sets.						
	Transform your space with style	and acoustic efficiency.					
	Not suitable as a free-standing p	roduct.					
Composition	Zintra Acoustic Panel - 100% Solu	ution Dyed (Colour Through) Polyester					
	• 12mm (1/2") -Density 2.4 kg /m	² 0.5 lb/ft²					
	• 24mm (1") - Density 3.6 kg /m²	0.75 lb/ft²					

Tiles

Sustainability	Zintra is made from 100% recyclable materials.
	 60% post-consumer recycled content from PET bottles.
	 35% pre-consumer recycled content from PET chips
	• 5% polylactic acid (PLA)
Dimensions	Fluted:
	• 9 tiles / set, 3.24 m² (35.37 SF)
	• 302mm (11.9") w x 1207mm (47.5") h
Fire Rating	ASTM-E84 – Class A classification AS ISO 9705 – 2003 – Group 1 classification EN-13501 – B-s2-d0 classification
Supplied As	• Fluted 9 tiles / set, 3.24 m² (35.37 SF)
Assembly & Delivery	Ships Flat Packed.
	 Supplied as a set of individual tiles.
	• Arrange as required.
	Go to the Technical Documents and download the Installation Guide for more details.
Suggested Installation	Go to Technical Documents and download the Installation Guide for more details.
Care Instructions	Vacuum to remove dust.
	Dab Zintra with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth.
	For difficult stains, use a solution of household bleach (10% bleach / 90% water). To remove the bleach, repeat using a clean, water dampened cloth, then pat dry.
	Always test in an inconspicuous area first and if you don't see the expected results, contact us.
Warranty	Visit FAQ for more details.

Tiles

Customisable	The Zintra Acoustic Solutions range is customisable to your project. Please get in touch with your local contact for details.
Additional Comments	 NRC 0.45-0.75 Directly Mounted Alpha-w Rating Directly Mounted 0.30-0.60
How to Specify	1. Select Design 2. Select Zintra Colour

Tiles


Color & Finish Options

Zintra 12mm Solid PET





Tiles



Eucalyptus

Ironbark



Merbau

Spotted Gum