


Brand: **Zintra** Collections: **Etch Tiles** Applications: **Walls**

+1 855 922 7377 hello@zintraacoustic.com zintraacoustic.com



Tiles



Etch Tiles Shadow Box Detail



Etch Tiles Shadow Box Detail 2

8 Tile Assembly

		╞╞┼╞	╆╋┿	╞╢╞┥
╶╢╢┤	╞╋╋	╊╋╋	╆╋┽	╞╫┽
			11	HH

Etch Tiles Shadow Box Detail

Assembly Suggestions Etch Tiles Shadow Box



Tiles

Every line tells a story with Zintra Etch Tiles, Shadow Box. Sculptural, dynamic, and diverse in design, they inspire endless possibilities for dynamic arrangements and playful pattern exploration.

✓ Bleach Cleanable✓ Easy Clean	✓ Acoustic	✓ Easy Install			
Description	Zintra Etch Tiles, where acoustic absorption meets dynamic 3D design. Crafted using a 3mm v-groove, the angled blade creates contemporary, design-led patterns that add a touch of sophistication to any space. Whether you're aiming for a progressive, modern interior or a welcoming atmosphere, Zintra Etch offers a range of subtle textures to suit your design needs.				
	Tiles offer a cost-effective solu appeal in commercial, hospitalit	of understated to statement Colours, Zintra Etch tion to enhance both sound quality and visual ty, and institutional interiors. Create calming tile tiles, which can be seamlessly integrated with we look.			
	Install either wall to wall or as for commercial, education or hospi	eature artwork to create an option suitable for any tality environment.			
	Shadow Box				
		ght and shadow, squares reminiscent of a chocolate e along with the different perimeter angles offer :y.			
	Available in 15 designs				
		r Diamond* Fluted Herringbone* Hexagon* hk* Shadow Box Square* Trapezium* Triangle*			
	* Notes designs available in bot	h Plain and Etch.			
	Sold in sets.				
	Transform your space with style	e and acoustic efficiency.			
	Not suitable as a free-standing	product.			
Composition	Zintra Acoustic Panel - 100% So	olution Dyed (Colour Through) Polyester			
	• 12mm (1/2") -Density 2.4 kg /	m² 0.5 lb/ft²			
	• 24mm (1") - Density 3.6 kg /r	n² 0.75 lb/ft²			

Tiles

Warranty	Visit FAQ for more details.
	Always test in an inconspicuous area first and if you don't see the expected results contact us.
	For difficult stains, use a solution of household bleach (10% bleach / 90% water). To remove the bleach, repeat using a clean, water dampened cloth, then pat dry.
	Dab Zintra with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth.
Care Instructions	Vacuum to remove dust.
Suggested Installation	Go to Technical Documents and download the Installation Guide for more details.
	Go to the Technical Documents and download the Installation Guide for more details.
	• Arrange as required.
	 Supplied as a set of individual tiles.
Assembly & Delivery	Ships Flat Packed.
Supplied As	• Shadow Box 21 tiles / set, 3.15 m² (35.07 SF)
Fire Rating	ASTM-E84 – Class A classification AS ISO 9705 – 2003 – Group 1 classification EN-13501 – B-s2-d0 classification
	• 394mm (15.5") w x 394mm (15.5") h
	• 21 tiles / set, 3.15 m ² (35.07 SF)
Dimensions	Shadow Box:
	• 5% polylactic acid (PLA)
	 35% pre-consumer recycled content from PET chips
	 60% post-consumer recycled content from PET bottles.
Sustainability	Zintra is made from 100% recyclable materials.

Tiles

Customisable	The Zintra Acoustic Solutions range is customisable to your project. Please get in touch with your local contact for details.	
Additional Comments	 NRC 0.45-0.75 Directly Mounted Alpha-w Rating Directly Mounted 0.30-0.60 	
How to Specify	1. Select Design 2. Select Zintra Colour	

Tiles


Color & Finish Options

Zintra 12mm Solid PET





Tiles



Eucalyptus

Ironbark

Merbau

Spotted Gum