

Brand: **Zintra** Collections: **Pattern Tiles** Applications: **Walls**

+1 855 922 7377 hello@zintraacoustic.com zintraacoustic.com





Pattern Tile Lotus Detail

Tiles

Unleash boundless creativity with Zintra Pattern Tiles, where patterns within patterns come to life. These multidimensional tiles ignite inspiration, with each twist revealing a new dimension of design. Let your creativity flourish with our Lotus design.

| Description | Discover the versatility and creative potential of Zintra Pattern Tiles, where timeless elegance meets contemporary flair. Intricately cut designs adorn each tile, crafted from high-quality Zintra material and mounted onto a back panel in your choice of matching or contrasting Zintra Colour. This innovative approach introduces style, texture, contrast, and depth to your walls or ceilings, all while offering superior sound absorption for a harmonious ambiance. |
|----------------|--|
| | Lotus |
| | Inspired by the grace and beauty of lotus flowers, to bring a touch of serenity and natural elegance to your space. With their delicate lines and gentle curves, Lotus Pattern tiles add a sense of tranquillity and sophistication to any interior. |
| | With a vast selection of 30 front and back Colours to choose from, allowing for thousands of unique combinations before even considering layout options. Elevate both visual interest and acoustics in your space with Zintra Pattern Tiles, available in 10 captivating designs (and multiple configurations), offered in single or dual layers. |
| | Available in 10 designs single or double layer * |
| | Arch Billet* Entwine Groove* Halftone* Leap Lotus Pathway* Striae Surge |
| | Let your creativity flourish as you transform your environment into a masterpiece of design and sound with Zintra Pattern Tiles. |
| | Sold in sets. |
| | Not suitable as a free standing product. |
| Composition | Zintra Acoustic Panel - 100% Solution Dyed (Colour Through) Polyester |
| | • 12mm (1/2") - Density 2.4 kg /m² 0.5 lb/ft² |
| | • 24mm (1") - Density 3.6 kg /m² 0.75 lb/ft² |
| Sustainability | Zintra is made from 100% recyclable materials. |
| | 60% post-consumer recycled content from PET bottles. |
| | 35% pre-consumer recycled content from PET chips |
| | • 5% polylactic acid (PLA) |
| | |

Tiles

| Dimensions | Lotus: |
|---------------------------|--|
| | • 10 tiles / set, 2.3m² (25.2 SF) |
| | • 600mm (23.62") h x 555mm (21.87") w |
| Fire Rating | ASTM-E84 – Class A classification AS ISO 9705 – 2003 – Group 1 classification EN-13501 – B-s2-d0 classification |
| Supplied As | • Lotus 10 tiles / set, 2.3m ² (25.2 SF) |
| Assembly & Delivery | Ships Flat Packed. |
| | Supplied as a set of individual tiles. |
| | • Arrange as required. |
| | Go to the Technical Documents and download the Installation Guide for more details. |
| Suggested Installation | Go to Technical Documents and download the Installation Guide for more details. |
| Care Instructions | Vacuum to remove dust. |
| | Dab Zintra with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth. |
| | For difficult stains, use a solution of household bleach (10% bleach / 90% water). To remove the bleach, repeat using a clean, water dampened cloth, then pat dry. |
| | Always test in an inconspicuous area first and if you don't see the expected results, contact us. |
| Warranty | Visit FAQ for more details. |
| Customisable | The Zintra Acoustic Solutions range is customisable to your project. Please get in touch with your local contact for details. |
| Additional Comments | NRC 0.45-0.75 Directly Mounted |
| | Alpha-w Rating Directly Mounted 0.30-0.60 |

Tiles

How to Specify1. Select Design2. Select Zintra Colour

Tiles


Color & Finish Options

Zintra 12mm Solid PET





Tiles



Eucalyptus

Ironbark

NIE (

Merbau

Spotted Gum