Acoustic Panels



Brand: **Zintra**

Collection: Pattern Panel

+1 855 922 7377 hello@zintraacoustic.com zintraacoustic.com



Acoustic Panels



Pattern Panel Deepak Detail

zintra

Acoustic Panels

Discover the 51 classic and contemporary designs available in Zintra Pattern Panels. Effortlessly elevate your space with style, texture, and superior sound absorption with Pattern Panel Deepak

✓ Acoustic	\checkmark Bleach Cleanable	✓ Easy Clean
✓ Easy Install		
Description	Zintra Patterns offers a broad range of classic or contemporary panel designs that can be used on their own, or in conjunction with Zintra backing, to create beautiful, acoustic screens and wall coverings.	
	With virtually unlimited design options, each pattern can be intricately cut of out Zintra and paired with a matching or contrasting solid Zintra backing panel to achieve a unique aesthetic for walls or ceilings. Experience enhanced noise absorption and easy installation, while enjoying a broad range of neutral and vibrant Colours to suit any space.	
	Deepak, features an asymmetrical pattern	
	Choose from 51 designs.	
	Devraj Elephanta Fishbone Foliag Hex Indus Jacks Kali Kerala Kri Marquise Monsoon Nadu Noktala	arata Bhushan Circuit Cirque Deepak le Gadiva Garden Art Ginkgo Haimati shnan Links Lost Malini Mandava Ir Origami Padmesh Perdita Pivot Pixel n Sanskrit Setro Shard Siptical Stone lic Wamika
	Not suitable as a freestanding produ	ct.
	Elevate your environment with style, a harmonious ambiance with superio	texture, contrast, and depth, all while creating r sound absorption.
Dimensions	Pattern Only	
	1220mm (48") x 2745mm (108') x 12m	nm (1/2")
	Pattern on Backer	
	1220mm (48") x 2745mm (108') x 24n	nm (1")
Composition	Zintra Acoustic Panel - 100% Solutio	n Dyed (Colour Through) Polyester
	12mm (1/2") - Density 2.4 kg /m² 0.5 lb/ft²	
	24mm (1") - Density 3.6 kg /m² 0.75 lb/ft²	

zintra

Acoustic Panels

Sustainability	Zintra is made from 100% recyclable materials.	
Sustainability		
	60% post-consumer recycled content from PET bottles.	
	 35% pre-consumer recycled content from PET chips 	
	• 5% polylactic acid (PLA)	
Fire Rating	ASTM-E84 – Class A classification AS ISO 9705 – 2003 – Group 1 classification EN-13501 – B-s2-d0 classification	
Warranty	Visit FAQ for more details.	
Supplied As	Ships Flat Pack	
	Install using one of these four common techniques.	
	1. Direct to the substrate	
	2. Z-Clips	
	3. Stand Offs	
	4. Mechanical Fastener	
	Go to the Technical Documents and download the Installation Guide for more details.	
Suggested Installation	Go to Technical Documents and download the Installation Guide for more details.	
How to Specify	1. Select Pattern design 2. Select Pattern only or Pattern on Backer. 3. Select Zintra Colour.	
	If selecting backer please state which colour is the pattern layer and which is the backer.	
Care Instructions	Vacuum to remove dust.	
	Dab Zintra with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth.	
	For difficult stains, use a solution of household bleach (10% bleach / 90% water). To remove the bleach, repeat using a clean, water dampened cloth, then pat dry.	
	Always test in an inconspicuous area first and if you don't see the expected results, contact us.	



Acoustic Panels

Customisable	The Zintra Acoustic Solutions range is customisable to your project. Please get in touch with your local contact for details.
Additional Comments	Patterns Only NRC Rating
	• Directly Mounted: 0.45
	• With 2" (50mm) Air Gap: 0.85
	• With 6" (152mm) Air Gap: 0.90
	• With 12" (305mm) Air Gap: 0.95
	Patterns on Backer NRC Rating
	• Directly Mounted: 0.75
	• With 2" (50mm) Air Gap: 0.95
	• With 6" (152mm) Air Gap: 1.0
	• With 12" (305mm) Air Gap: 1.0

zintra

Acoustic Panels


Color & Finish Options

Zintra 12mm Solid PET





Acoustic Panels







Twilight