Acoustic Panels



Brand: Zintra

Collection: Pattern Panel



Acoustic Panels





Pattern Panel Devraj

Acoustic Panels

Discover the 51 classic and contemporary designs available in Zintra Pattern Panels. Effortlessly elevate your space with style, texture, and superior sound absorption with Pattern Panel Devraj.

✓ Acoustic✓ Bleach Cleanable✓ Easy Clean✓ Easy Install

#### Description

Zintra Patterns offers a broad range of classic or contemporary panel designs that can be used on their own, or in conjunction with Zintra backing, to create beautiful, acoustic screens and wall coverings.

With virtually unlimited design options, each pattern can be intricately cut of out Zintra and paired with a matching or contrasting solid Zintra backing panel to achieve a unique aesthetic for walls or ceilings. Experience enhanced noise absorption and easy installation, while enjoying a broad range of neutral and vibrant Colours to suit any space.

Devraj, a four-point star pattern

#### **Choose from 51 designs.**

Abhaya | Asiatic | Astra | Bengal | Bharata | Bhushan | Circuit | Cirque | Deepak |
Devraj | Elephanta | Fishbone | Foliage | Gadiva | Garden Art | Ginkgo | Haimati |
Hex | Indus | Jacks | Kali | Kerala | Krishnan | Links | Lost | Malini | Mandava |
Marquise | Monsoon | Nadu | Noktalar | Origami | Padmesh | Perdita | Pivot | Pixel |
Prose | Punto | Raja | Sakra | Sankaran | Sanskrit | Setro | Shard | Siptical | Stone
Age | Sutra | Telugu | Vanishing | Vedic | Wamika

Not suitable as a freestanding product.

Elevate your environment with style, texture, contrast, and depth, all while creating a harmonious ambiance with superior sound absorption.

Dimensions Pattern Only

1220mm (48") x 2745mm (108') x 12mm (1/2")

**Pattern on Backer** 

1220mm (48") x 2745mm (108') x 24mm (1")

Composition Zintra Acoustic Panel - 100% Solution Dyed (Colour Through) Polyester

12mm (1/2") - Density 2.4 kg/m<sup>2</sup> 0.5 lb/ft<sup>2</sup>

24mm (1") - Density 3.6 kg/m<sup>2</sup> 0.75 lb/ft<sup>2</sup>



Acoustic Panels

Sustainability	Zintra is made from 100% recyclable materials.
	• 60% post-consumer recycled content from PET bottles.
	• 35% pre-consumer recycled content from PET chips
	• 5% polylactic acid (PLA)
Fire Rating	ASTM-E84 – Class A classification AS ISO 9705 – 2003 – Group 1 classification EN-13501 – B-s2-d0 classification
Warranty	Visit FAQ for more details.
Supplied As	Ships Flat Pack
	Install using one of these four common techniques.
	1. Direct to the substrate
	2. Z-Clips
	3. Stand Offs
	4. Mechanical Fastener
	Go to the Technical Documents and download the Installation Guide for more details.
Suggested Installation	Go to Technical Documents and download the Installation Guide for more details.
How to Specify	<ol> <li>Select Pattern design</li> <li>Select Pattern only or Pattern on Backer.</li> <li>Select Zintra Colour.</li> </ol>
	If selecting backer please state which colour is the pattern layer and which is the backer.
Care Instructions	Vacuum to remove dust.
	Dab Zintra with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth.
	For difficult stains, use a solution of household bleach (10% bleach / 90% water). To remove the bleach, repeat using a clean, water dampened cloth, then pat dry.
	Always test in an inconspicuous area first and if you don't see the expected results



contact us.

Acoustic Panels

#### Customisable

The Zintra Acoustic Solutions range is customisable to your project. Please get in touch with your local contact for details.

#### **Additional Comments**

#### **Patterns Only NRC Rating**

- Directly Mounted: 0.45
- With 2" (50mm) Air Gap: 0.85
- With 6" (152mm) Air Gap: 0.90
- With 12" (305mm) Air Gap: 0.95

#### **Patterns on Backer NRC Rating**

- Directly Mounted: 0.75
- With 2" (50mm) Air Gap: 0.95
- With 6" (152mm) Air Gap: 1.0
- With 12" (305mm) Air Gap: 1.0



### Color & Finish Options

#### Zintra 12mm Solid PET



6 of 7



Acoustic Panels

