Acoustic Panels



Brand: Zintra

Collection: Pattern Panel



Acoustic Panels



Pattern Panel Ginkgo Detail

Acoustic Panels

Discover the 51 classic and contemporary designs available in Zintra Pattern Panels. Effortlessly elevate your space with style, texture, and superior sound absorption with Pattern Panel Ginkgo.

| ✓ Acoustic | \checkmark Bleach Cleanable | ✓ Easy Clean | |
|----------------|---|-----------------------------------|--|
| ✓ Easy Install | | | |
| Description | Zintra Patterns offers a broad range of classic or contemporary panel designs that can be used on their own, or in conjunction with Zintra backing, to create beautiful, acoustic screens and wall coverings. | | |
| | With virtually unlimited design options, each pattern can be intricately cut of out Zintra and paired with a matching or contrasting solid Zintra backing panel to achieve a unique aesthetic for walls or ceilings. Experience enhanced noise absorption and easy installation, while enjoying a broad range of neutral and vibrant Colours to suit any space. | | |
| | Ginkgo, inspired by ginkgo biloba leaves | | |
| | Choose from 51 designs. | | |
| | Abhaya Asiatic Astra Bengal Bharata Bhushan Circuit Cirque Deepak Devraj Elephanta Fishbone Foliage Gadiva Garden Art Ginkgo Haimati Hex Indus Jacks Kali Kerala Krishnan Links Lost Malini Mandava Marquise Monsoon Nadu Noktalar Origami Padmesh Perdita Pivot Pixel Prose Punto Raja Sakra Sankaran Sanskrit Setro Shard Siptical Stone Age Sutra Telugu Vanishing Vedic Wamika | | |
| | Not suitable as a freestanding product. | | |
| | Elevate your environment with style, texture, contrast, and depth, all while creating a harmonious ambiance with superior sound absorption. | | |
| Dimensions | Pattern Only | | |
| | 1220mm (48") x 2745mm (108') x 12m | nm (1/2") | |
| | Pattern on Backer | | |
| | 1220mm (48") x 2745mm (108') x 24n | nm (1") | |
| Composition | Zintra Acoustic Panel - 100% Solutio | n Dyed (Colour Through) Polyester | |
| | 12mm (1/2") - Density 2.4 kg /m² 0.5 lb/ft² | | |
| | 24mm (1") - Density 3.6 kg /m² 0.75 lb/ft² | | |
| | · _ | | |

Acoustic Panels

| Sustainability | Zintra is made from 100% recyclable materials. | |
|---------------------------|--|--|
| Sustainability | | |
| | 60% post-consumer recycled content from PET bottles. | |
| | 35% pre-consumer recycled content from PET chips | |
| | • 5% polylactic acid (PLA) | |
| Fire Rating | ASTM-E84 – Class A classification AS ISO 9705 – 2003 – Group 1 classification EN-13501 – B-s2-d0 classification | |
| Warranty | Visit FAQ for more details. | |
| Supplied As | Ships Flat Pack | |
| | Install using one of these four common techniques. | |
| | 1. Direct to the substrate | |
| | 2. Z-Clips | |
| | 3. Stand Offs | |
| | 4. Mechanical Fastener | |
| | Go to the Technical Documents and download the Installation Guide for more details. | |
| Suggested Installation | Go to Technical Documents and download the Installation Guide for more details. | |
| How to Specify | 1. Select Pattern design 2. Select Pattern only or Pattern on Backer. 3. Select Zintra Colour. | |
| | If selecting backer please state which colour is the pattern layer and which is the backer. | |
| Care Instructions | Vacuum to remove dust. | |
| | Dab Zintra with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth. | |
| | For difficult stains, use a solution of household bleach (10% bleach / 90% water). To remove the bleach, repeat using a clean, water dampened cloth, then pat dry. | |
| | Always test in an inconspicuous area first and if you don't see the expected results, contact us. | |



Acoustic Panels

| Customisable | The Zintra Acoustic Solutions range is customisable to your project. Please get in touch with your local contact for details. |
|---------------------|---|
| Additional Comments | Patterns Only NRC Rating |
| | • Directly Mounted: 0.45 |
| | • With 2" (50mm) Air Gap: 0.85 |
| | • With 6" (152mm) Air Gap: 0.90 |
| | • With 12" (305mm) Air Gap: 0.95 |
| | Patterns on Backer NRC Rating |
| | • Directly Mounted: 0.75 |
| | • With 2" (50mm) Air Gap: 0.95 |
| | • With 6" (152mm) Air Gap: 1.0 |
| | • With 12" (305mm) Air Gap: 1.0 |
| | |

Acoustic Panels

Color & Finish Options

Zintra 12mm Solid PET





Acoustic Panels

