
Acoustic Panels



1 of 7

Brand: **Zintra** 

Collections: Pattern Panel

Applications: Ceilings, Walls



Acoustic Panels



Pattern Panel Sankaran Detail

2 of 7

Acoustic Panels

Discover the 51 classic and contemporary designs available in Zintra Pattern Panels. Effortlessly elevate your space with style, texture, and superior sound absorption with Pattern Panel Sankaran.

| <ul><li>✓ Acoustic</li><li>✓ Easy Install</li></ul> | ✓ Bleach Cleanable ✓ Easy Clean   |               |
|---|---|---------------|
| Description   | Zintra Patterns offers a broad range of classic or contemporary panel designs can be used on their own, or in conjunction with Zintra backing, to create bea acoustic screens and wall coverings.   |               |
|   | With virtually unlimited design options, each pattern can be intricately cut of Zintra and paired with a matching or contrasting solid Zintra backing panel to achieve a unique aesthetic for walls or ceilings. Experience enhanced noise absorption and easy installation, while enjoying a broad range of neutral and vibrant Colours to suit any space.   |               |
|   | Sankaran, free flowing curves   |               |
|   | Choose from 51 designs.   |               |
|   | Abhaya   Asiatic   Astra   Bengal   Bharata   Bhushan   Circuit   Cirque   Deepa<br>Devraj   Elephanta   Fishbone   Foliage   Gadiva   Garden Art   Ginkgo   Haimat<br>Hex   Indus   Jacks   Kali   Kerala   Krishnan   Links   Lost   Malini   Mandava  <br>Marquise   Monsoon   Nadu   Noktalar   Origami   Padmesh   Perdita   Pivot   P<br>Prose   Punto   Raja   Sakra   Sankaran   Sanskrit   Setro   Shard   Siptical   Sto<br>Age   Sutra   Telugu   Vanishing   Vedic   Wamika | ti  <br>Pixel |
|   | Not suitable as a freestanding product.   |               |
|   | Elevate your environment with style, texture, contrast, and depth, all while crea harmonious ambiance with superior sound absorption.   | eating        |
| Composition   | Zintra Acoustic Panel - 100% Solution Dyed (Colour Through) Polyester   |               |
|   | 12mm (1/2") - Density 2.4 kg /m² 0.5 lb/ft²   |               |
|   | 24mm (1") - Density 3.6 kg/m² 0.75 lb/ft²   |               |
| Sustainability                                      | Zintra is made from 100% recyclable materials.  |               |
|   | • 60% post-consumer recycled content from PET bottles.  |               |
|   | • 35% pre-consumer recycled content from PET chips  |               |
|   | • 5% polylactic acid (PLA)  |               |
|   |   |               |



Acoustic Panels

| Dimensions                | Pattern Only   |
|---------------------------|--|
|                           | 1220mm (48") x 2745mm (108') x 12mm (1/2")   |
|                           | Pattern on Backer  |
|                           | 1220mm (48") x 2745mm (108') x 24mm (1")   |
| Fire Rating               | ASTM-E84 – Class A classification<br>AS ISO 9705 – 2003 – Group 1 classification<br>EN-13501 – B-s2-d0 classification  |
| Supplied As               | Ships Flat Pack  |
|                           | Go to the Technical Documents and download the Installation Guide for more details.  |
| Suggested<br>Installation | Go to Technical Documents and download the Installation Guide for more details.  |
| Care Instructions         | Vacuum to remove dust.   |
|                           | Dab Zintra with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth.       |
|                           | For difficult stains, use a solution of household bleach (10% bleach / 90% water). To remove the bleach, repeat using a clean, water dampened cloth, then pat dry. |
|                           | Always test in an inconspicuous area first and if you don't see the expected results, contact us.  |
| Warranty                  | Visit FAQ for more details.  |
| Customisable              | The Zintra Acoustic Solutions range is customisable to your project. Please get in touch with your local contact for details.                                      |



Acoustic Panels

#### Additional Comments Patterns Only NRC Rating

- Directly Mounted: 0.45
- With 2" (50mm) Air Gap: 0.85
- With 6" (152mm) Air Gap: 0.90
- With 12" (305mm) Air Gap: 0.95

#### **Patterns on Backer NRC Rating**

- Directly Mounted: 0.75
- With 2" (50mm) Air Gap: 0.95
- With 6" (152mm) Air Gap: 1.0
- With 12" (305mm) Air Gap: 1.0

### How to Specify

- 1. Select Pattern design
- 2. Select Pattern only or Pattern on Backer.
- 3. Select Zintra Colour.

If selecting backer please state which colour is the pattern layer and which is the backer.



### Color & Finish Options

#### Zintra 12mm Solid PET







Acoustic Panels

