Acoustic Panels



Brand: **Zintra**

Applications: Ceilings, Walls



Acoustic Panels



Pattern Panel Sutra Detail

Acoustic Panels

Discover the 51 classic and contemporary designs available in Zintra Pattern Panels. Effortlessly elevate your space with style, texture, and superior sound absorption with Pattern Panel Sutra.

✓ Acoustic✓ Easy Install	✓ Bleach Cleanable ✓ Easy Clean	
Description	Zintra Patterns offers a broad range of classic or contemporary panel designs to can be used on their own, or in conjunction with Zintra backing, to create beau acoustic screens and wall coverings.	
	With virtually unlimited design options, each pattern can be intricately cut of o Zintra and paired with a matching or contrasting solid Zintra backing panel to achieve a unique aesthetic for walls or ceilings. Experience enhanced noise absorption and easy installation, while enjoying a broad range of neutral and vibrant Colours to suit any space.	ut
	Sutra, a square and rectangle pattern	
	Choose from 51 designs.	
	Abhaya Asiatic Astra Bengal Bharata Bhushan Circuit Cirque Deepak Devraj Elephanta Fishbone Foliage Gadiva Garden Art Ginkgo Haimati Hex Indus Jacks Kali Kerala Krishnan Links Lost Malini Mandava Marquise Monsoon Nadu Noktalar Origami Padmesh Perdita Pivot Pix Prose Punto Raja Sakra Sankaran Sanskrit Setro Shard Siptical Stone Age Sutra Telugu Vanishing Vedic Wamika	 (el
	Not suitable as a freestanding product.	
	Elevate your environment with style, texture, contrast, and depth, all while crea a harmonious ambiance with superior sound absorption.	ting
Composition	Zintra Acoustic Panel - 100% Solution Dyed (Colour Through) Polyester	
	12mm (1/2") - Density 2.4 kg /m² 0.5 lb/ft²	
	24mm (1") - Density 3.6 kg/m² 0.75 lb/ft²	
Sustainability	Zintra is made from 100% recyclable materials.	
	• 60% post-consumer recycled content from PET bottles.	
	• 35% pre-consumer recycled content from PET chips	
	• 5% polylactic acid (PLA)	
	12mm (1/2") - Density 2.4 kg /m² 0.5 lb/ft² 24mm (1") - Density 3.6 kg /m² 0.75 lb/ft² Zintra is made from 100% recyclable materials. • 60% post-consumer recycled content from PET bottles. • 35% pre-consumer recycled content from PET chips	



Acoustic Panels

Dimensions	Pattern Only
	1220mm (48") x 2745mm (108') x 12mm (1/2")
	Pattern on Backer
	1220mm (48") x 2745mm (108') x 24mm (1")
Fire Rating	ASTM-E84 – Class A classification AS ISO 9705 – 2003 – Group 1 classification EN-13501 – B-s2-d0 classification
Supplied As	Ships Flat Pack
	Go to the Technical Documents and download the Installation Guide for more details.
Suggested Installation	Go to Technical Documents and download the Installation Guide for more details.
Care Instructions	Vacuum to remove dust.
	Dab Zintra with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth.
	For difficult stains, use a solution of household bleach (10% bleach / 90% water). To remove the bleach, repeat using a clean, water dampened cloth, then pat dry.
	Always test in an inconspicuous area first and if you don't see the expected results, contact us.
Warranty	Visit FAQ for more details.
Customisable	The Zintra Acoustic Solutions range is customisable to your project. Please get in touch with your local contact for details.



Acoustic Panels

Additional Comments Patterns Only NRC Rating

- Directly Mounted: 0.45
- With 2" (50mm) Air Gap: 0.85
- With 6" (152mm) Air Gap: 0.90
- With 12" (305mm) Air Gap: 0.95

Patterns on Backer NRC Rating

- Directly Mounted: 0.75
- With 2" (50mm) Air Gap: 0.95
- With 6" (152mm) Air Gap: 1.0
- With 12" (305mm) Air Gap: 1.0

How to Specify

- 1. Select Pattern design
- 2. Select Pattern only or Pattern on Backer.

5 of 7

3. Select Zintra Colour.

If selecting backer please state which colour is the pattern layer and which is the backer.



Color & Finish Options

Zintra 12mm Solid PET





zintraacoustic.com



Acoustic Panels

