Acoustic Panels




Collections: Pattern Panel

Applications: Ceilings, Walls



Acoustic Panels



Pattern Panel Wamika Detail

Acoustic Panels

Discover the 51 classic and contemporary designs available in Zintra Pattern Panels. Effortlessly elevate your space with style, texture, and superior sound absorption with Pattern Panel Wamika.

✓ Acoustic✓ Easy Install	✓ Bleach Cleanable	✓ Easy Clean	
Description	Zintra Patterns offers a broad range of classic or contemporary panel designs that can be used on their own, or in conjunction with Zintra backing, to create beautiful, acoustic screens and wall coverings.		
	With virtually unlimited design options, each Zintra and paired with a matching or contras achieve a unique aesthetic for walls or ceilin absorption and easy installation, while enjoy vibrant Colours to suit any space.	sting solid Zintra backing panel to gs. Experience enhanced noise	
	Wamika, a slit pattern		
	Choose from 51 designs.		
	Abhaya Asiatic Astra Bengal Bharata E Devraj Elephanta Fishbone Foliage Gad Hex Indus Jacks Kali Kerala Krishnan Marquise Monsoon Nadu Noktalar Origa Prose Punto Raja Sakra Sankaran Sans Age Sutra Telugu Vanishing Vedic War	iva Garden Art Ginkgo Haimati Links Lost Malini Mandava ami Padmesh Perdita Pivot Pixel skrit Setro Shard Siptical Stone	
	Not suitable as a freestanding product.		
	Elevate your environment with style, texture	, contrast, and	
Composition	Zintra Acoustic Panel - 100% Solution Dyed	(Colour Through) Polyester	
	12mm (1/2") - Density 2.4 kg /m² 0.5 lb/ft²		
	24mm (1") - Density 3.6 kg /m² 0.75 lb/ft²		
Sustainability	Zintra is made from 100% recyclable materia	ıls.	
	• 60% post-consumer recycled content from PET bottles.		
	• 35% pre-consumer recycled content from PET chips		
	• 5% polylactic acid (PLA)		



Acoustic Panels

Dimensions	ons Pattern Only	
	1220mm (48") x 2745mm (108') x 12mm (1/2")	
	Pattern on Backer	
	1220mm (48") x 2745mm (108') x 24mm (1")	
Fire Rating	ASTM-E84 – Class A classification AS ISO 9705 – 2003 – Group 1 classification EN-13501 – B-s2-d0 classification	
Supplied As	Ships Flat Pack	
	Go to the Technical Documents and download the Installation Guide for more details.	
Suggested Installation	Go to Technical Documents and download the Installation Guide for more details.	
Care Instructions	Vacuum to remove dust.	
	Dab Zintra with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth.	
	For difficult stains, use a solution of household bleach (10% bleach / 90% water). To remove the bleach, repeat using a clean, water dampened cloth, then pat dry.	
	Always test in an inconspicuous area first and if you don't see the expected results, contact us.	
Warranty	Visit FAQ for more details.	
Customisable	The Zintra Acoustic Solutions range is customisable to your project. Please get in touch with your local contact for details.	



Acoustic Panels

Additional Comments Patterns Only NRC Rating

- Directly Mounted: 0.45
- With 2" (50mm) Air Gap: 0.85
- With 6" (152mm) Air Gap: 0.90
- With 12" (305mm) Air Gap: 0.95

Patterns on Backer NRC Rating

- Directly Mounted: 0.75
- With 2" (50mm) Air Gap: 0.95
- With 6" (152mm) Air Gap: 1.0
- With 12" (305mm) Air Gap: 1.0

How to Specify

- 1. Select Pattern design
- 2. Select Pattern only or Pattern on Backer.

5 of 7

3. Select Zintra Colour.

If selecting backer please state which colour is the pattern layer and which is the backer.



Color & Finish Options

Zintra 12mm Solid PET





Acoustic Panels

