
Acoustic Baffles



1 of 7

Brand: **Zintra**



Acoustic Baffles







Baffle Systems Quarter Circle

Acoustic Baffles

Transform your space with Zintra Baffle System, Quarter design. Our high-performing baffles offer flexible and dynamic acoustic control, perfect for enhancing spacious environments

✓ Acoustic✓ Easy Install	✓ Bleach Cleanable	✓ Easy Clean	
Description	A modern solution for acoustic control, Zintra Baffles are a prefabricated, ceiling mounted system. Showcasing Zintra's flexible characteristics and offering superior acoustic control, Zintra Acoustic Baffles are an innovative replacement to traditional mineral fibre lay systems.		
	By exposing the ceiling, Zintra baffles create an open and airy atmosphere while efficiently mitigating noise levels.		
	Quarter		
	A 90 degree fan design, which can large circle.	be used side by side or put 4 together to make	
	,	d available in a large array of designs, baffles ces in educational institutions, shopping	
	Available in 10 designs		
	Bolt Canyon Gorge Individual Louvre Ridge Square Swell V-Fold Wave		
	are supplied ready to install with m	peal and acoustic performance these systems inimum fuss. A great advantage of the vertical a that is presented to the room resulting in a gred to flat panels.	
	Zintra Baffles present a modern and tranquil and efficient workspace.	d budget-friendly solution for cultivating a	
Dimensions	Length of individual baffles – 1300r	mm (51.18")	
	For overall measurements please refer to installation guide.		
Composition	Zintra Acoustic Panel - 100% Soluti	on Dyed (Colour Through) Polyester	
	12mm (1/2") - Density 2.4 kg /m² 0.5 lb/ft²		
Sustainability	Zintra is made from 100% recyclabl	e materials.	
	 60% post-consumer recycled content from PET bottles. 		
	• 35% pre-consumer recycled content from PET chips		
	• 5% polylactic acid (PLA)		



Acoustic Baffles

Fire Rating	ASTM-E84 – Class A classification
-------------	-----------------------------------

AS ISO 9705 - 2003 - Group 1 classification

EN-13501 - B-s2-d0 classification

Warranty Visit FAQ for more details.

Assembly & Delivery Ship

Ships Flat Packed.

Assemble your Baffle System then suspend from the ceiling using hanging hardware supplied.

Go to the Technical Documents and download the Installation Guide for more details.

Supplied As

Quarter: 10 Blades

- Depending on size:
- 4 or 6 Adjustable Suspension Kit (ASK) | 2 or 3 x Aluminium Tube with Notches |
 4 or 6 x Aluminium End Caps | 2 or 3 x 124mm (1") Zintra Connectors

Suggested Installation

Go to Technical Documents and download the Installation Guide for more details.

How to Specify

- 1. Select Design
- 2. Select Size
- 3. Select Zintra Colour

Care Instructions

Vacuum to remove dust.

Dab Zintra with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth.

For difficult stains, use a solution of household bleach (10% bleach / 90% water). To remove the bleach, repeat using a clean, water dampened cloth, then pat dry.

Always test in an inconspicuous area first and if you don't see the expected results, contact us.

Customisable

Zintra Acoustic Panel - 100% Solution Dyed (Colour Through) Polyester

12mm (1/2") - Density 2.4 kg/m² 0.5 lb/ft²



Acoustic Baffles

Additional Comments NRC Rating

- Without Air Gap: Up to 0.95
- With 24" (610mm) Air Gap: Up to 1.00



5 of 7

Color & Finish Options

Zintra 12mm Solid PET





zintraacoustic.com



Acoustic Baffles





Storm







Zintra Timber Print









Eucalyptus

Ironbark

Spotted Gum