

DESK WRAP

Accessories



Texture:

Lustre:

Transparency:

DESCRIPTION / FEATURES	Carefully placed slice cuts allow Zintrac to become flexible and wrap around the corners of a desk. When wrapped, the slice cuts reveal a defining pattern. Use Desk Wraps as a screen or modesty panel to add privacy and acoustic benefits.
HOW TO SPECIFY	1. Size 2. Zintrac Colour
COMPOSITION	Zintrac Acoustic Panel - 100% Solution Dyed (Colour Through) Polyester
FINISHES AVAILABLE	Zintrac Plain 1/2" (12mm) Color Range Zintrac Timber 1/2" (12mm) Color Range
STANDARD SIZE	SCREEN 46.5" x 15.8" x 19.2" (1182mm x 400mm x 487mm) 46.5" x 23.8" x 19.2" (1182mm x 603mm x 487mm) 58.5" x 15.8" x 19.2" (1486mm x 400mm x 487mm) 58.5" x 23.8" x 19.2" (1486mm x 603mm x 487mm) 70.3" x 15.8" x 19.2" (1786mm x 400mm x 487mm) 70.3" x 23.8" x 19.2" (1786mm x 603mm x 487mm) MODESTY 49.8" x 23.8" x 19.2" (1265mm x 603mm x 487mm) 49.8" x 36" x 19.2" (1265mm x 915mm x 487mm) 61.8" x 23.8" x 19.2" (1570mm x 603mm x 487mm) 61.8" x 36" x 19.2" (1570mm x 915mm x 487mm) 73.8" x 23.8" x 19.2" (1875mm x 603mm x 487mm) 73.8" x 36" x 19.2" (1875mm x

	915mm x 487mm)
INDOOR/OUTDOOR	Indoor only
WET AREAS	No
SUGGESTED INSTALLATION	Fix Clamshell or L-Brackets to desk. Connect Wrap to fixing.
CUSTOMISABLE	The Zintrac Acoustic Solutions range is customisable to your project. Please get in touch with your local contact for details.
THERMOFORMABLE	No
FIRE RATING	ASTM E-84 - Class AE-13501 - B-s2-d0AS 5637.1:2015 - Group 1
ADDITIONAL COMMENTS	Zintrac Patterns not available. Only available in Zintrac 12mm (1/2") sheets.
FABRICATION	Standard woodworking tools or Stanley knife
REFINISHABLE	No
CARE INSTRUCTIONS	<p>Remove spills immediately using damp, clean cloth.</p> <p>Dab Zintrac with a clean, soft white cloth dampened with a mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth.</p> <p>Avoid using wax polishes, solvents or concentrated abrasives.</p> <p>For more difficult stains, dampen a soft white cloth with a solution of household bleach (10% bleach / 90% water). Dab gently. Repeat using</p>

	<p>only a clean, water dampened cloth to remove bleach concentration then pat dry with a lint free cloth.</p> <p>Always test in an inconspicuous area first. If care instructions don't deliver the expected results, cease cleaning method immediately and contact Baresque for assistance.</p>
ENVIRONMENTAL INFORMATION	<p>We believe in the sustainability of both our planet and our people. We do everything we can to minimise our environmental impact and create spaces that contribute to the wellness of the people that use them.</p> <p>Certified by Declare and HPD, Zintrac is made from 100% recyclable materials. It has low levels of volatile organic compounds and contains no formaldehyde. It's Red List Free and meets the Global Recycling Standard.</p> <p>Reducing noise levels, minimizing indoor air pollutants, easy cleaning and a Class A fire rating are just a few of the reasons that Zintrac is the perfect material for the green buildings of today and tomorrow.</p>