## Zintrcl®

## DRANTE

Ceilings - Zintra Clouds



Texture: 3 Lustre: 1 Transparency: 2

<b>DESCRIPTION / FEATURES</b>	Baresque's Zintra Acoustic Baffles are an innovative replacement to a
	mineral fibre lay system. Easy to assemble, easy to install and
	available in a large array of designs, baffles are ideally suited to large
	noisy spaces in educational institutions, shopping centres, restaurants
	and airports.Baffles use at least 1 sheet of Zintra Acoustic Panel
	providing an NRC of at least 0.9.
HOW TO SPECIFY	1. Size
	2. Zintra Colour
COMPOSITION	Zintra Acoustic Panel - 100% Solution Dyed (Colour Through)
	PolyesterAluminium mounting beamsWire adjustersHanger
	HeadsHanging WireZintra BafflesZintra ConnectorsEnd Caps
FINISHES AVAILABLE	Zintra Plain 1/2" (12mm) Color RangeZintra Timber 1/2" (12mm) Color
	Range

## Zintrcl®

STANDARD SIZE	48" x 5.5" x 48" (1220mm x 140mm x 1220mm)72.1" x 72.1" x 9"
	(1832mm x 1832mm x 229mm)
INDOOR/OUTDOOR	Indoor only
WET AREAS	No
SUGGESTED INSTALLATION	System supplied flat pack. See Downloads tab for install guide.
CUSTOMISABLE	The Zintra Acoustic Solutions range is customisable to your project.
	Please get in touch with your local contact for details.
THERMOFORMABLE	No
FIRE RATING	ASTM E-84 - Class AE-13501 - B-s2-d0AS 5637.1:2015 - Group 1
ADDITIONAL COMMENTS	As Zintra Layers 3D are hand-made, an exact pattern match from one
	panel to the next is not possible.All Zintra Layers 3D are supplied on a
	Zintra Acoustic backer in Black.
FABRICATION	Utility knife or CNC with an oscillating knife
REFINISHABLE	No
CARE INSTRUCTIONS	Remove spills immediately using damp, clean cloth.
	Dab Zintra with a clean, soft white cloth dampened with a mild solution
	of liquid detergent and warm water. Repeat using only clean water,
	then pat dry with a lint free cloth.
	Avoid using wax polishes, solvents or concentrated abrasives.
	For more difficult stains, dampen a soft white cloth with a solution of
	household bleach (10% bleach / 90% water). Dab gently. Repeat using
	only a clean, water dampened cloth to remove bleach
	concentration then pat dry with a lint free cloth.

## zintrci®

	Always test in an inconspicuous area first. If care instructions don't
	deliver the expected results, cease cleaning method immediately and
	contact Baresque for assistance.
ENVIRONMENTAL INFORMATION	We believe in the sustainability of both our planet and our people. We
	do everything we can to minimise our environmental impact and
	create spaces that contribute to the wellness of the people that use
	them.
	Certified by Declare and HPD, Zintra is made from 100% recyclable
	materials. It has low levels of volatile organic compounds and contains
	no formaldehyde. It's Red List Free and meets the Global Recycling
	Standard.
	Reducing noise levels, minimizing indoor air pollutants, easy cleaning
	and a Class A fire rating are just a few of the reasons that Zintra is the
	perfect material for the green buildings of today and tomorrow.