# Zintrcl®

#### QUARTER

Ceilings - Zintra Baffles



Texture: Lustre: Transparency:

<b></b>	
DESCRIPTION / FEATURES	Baresque's Zintra Acoustic Baffles are an innovative replacement to a
	mineral fibre lay system. Easy to assemble, easy to install and
	available in a large array of designs, baffles are ideally suited to large
	noisy spaces in educational institutions, shopping centres, restaurants
	and airports.
	Baffles use at least 1 sheet of Zintra Acoustic Panel providing an NRC
	of at least 0.9.
HOW TO SPECIFY	1. Size2. Zintra Colour 3. Square Tube colour
COMPOSITION	Aluminium mounting beams
	Wire adjusters
	Hanger Heads
	Hanging Wire
	Zintra Baffles
	Zintra Connectors
	End Caps
FINISHES AVAILABLE	Zintra Plain 1/2" (12mm) Color RangeZintra Timber 1/2" (12mm) Color
	Range

## Zintrcl®

STANDARD SIZE	51.2" x 4.3" x 72.4" (1300mm x 110mm x 1839mm)4 Sections as a
	Circle - 109.9" dia (2792mm dia)3 Sections Alternating - 159.3" x 4.3" x
	68.2" (4046mm x 110mm x 1732mm)4 Sections Alternating - 198.1" x
	4.3" x 68.2" (5032mm x 110mm x 1732mm)
WIDTH	MP60 - 150/152cmMP50 - 124/127cmMA50 - 124/127cm (adhesive
	backing)
ROLL LENGTH	30.5m Available by the lineal metre
WEIGHT	MP50 - 744 g/m²
	MP60 - 967g/m²
	MA50 (adhesive backing) - 893 g/mÂ <sup>2</sup>
INDOOR/OUTDOOR	Indoor only
WET AREAS	No
PATTERN REPEAT	N/A
SUGGESTED INSTALLATION	Slide Zintra profiles onto aluminium extrusions. Fix adjustable wires to
	ceiling (no screws supplied). Hang Baffles. See Download tab for
	Install Guide
CUSTOMISABLE	The Zintra Acoustic Solutions range is customisable to your project.
	Please get in touch with your local contact for details.
THERMOFORMABLE	No
FIRE RATING	ASTM E-84 – Class A
	E-13501 – B-s2-d0
	AS 5637.1:2015 - Group 1
FABRICATION	Utility knife or CNC with an oscillating knife
REFINISHABLE	No
CARE INSTRUCTIONS	Remove spills immediately using damp, clean cloth.
	Dab Zintra with a clean, soft white cloth dampened with a mild solution

# Zintrci®

	1
	of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth.
	Avoid using wax polishes, solvents or concentrated abrasives.
	For more difficult stains, dampen a soft white cloth with a solution of household bleach (10% bleach / 90% water). Dab gently. Repeat using only a clean, water dampened cloth to remove bleach
	concentration then pat dry with a lint free cloth.
	Always test in an inconspicuous area first. If care instructions don't deliver the expected results, cease cleaning method immediately and contact Baresque for assistance.
ENVIRONMENTAL INFORMATION	
	do everything we can to minimise our environmental impact and create spaces that contribute to the wellness of the people that use them.
	Certified by Declare and HPD, Zintra is made from 100% recyclable materials. It has low levels of volatile organic compounds and contains no formaldehyde. It's Red List Free and meets the Global Recycling Standard.
	Reducing noise levels, minimizing indoor air pollutants, easy cleaning

## Zintrci®

and a Class A fire rating are just a few of the reasons that Zintra is the perfect material for the green buildings of today and tomorrow.