



e hello@zintraacoustic.com

p +1 855 922 7377

## **BOX**

## Ceilings - Zintra Baffles



Texture:

Lustre:

Transparency:

DESCRIPTION / FEATURES	Suspended box-shaped baffles hung in perfectly spaced rows create
	these high performing baffles. The box shape feature not only looks
	more substantial, but also increases the NRC rating by capturing sound
	within. Select the same shaped baffles or mix them up for added
	dimension.
	Baresque's Zintra Acoustic Baffles are an innovative replacement to a
	mineral fibre lay system. Easy to assemble, easy to install and
	available in a large array of designs, baffles are ideally suited to large
	noisy spaces in educational institutions, shopping centres, restaurants
	and airports.
	Baffles use at least 1 sheet of Zintra Acoustic Panel providing an NRC
	of at least 0.95.
	Download the complete Timber + Sticks brochure
HOW TO SPECIFY	1. Size
	2. Zintra Colour
	3. Square Tube colour
COMPOSITION	Aluminium mounting beams



	Wire adjusters
	Hanger Heads
	Hanging Wire
	Zintra Baffles
	Zintra Connectors
	End Caps
FINISHES AVAILABLE	Zintra Plain 1/2" (12mm) Color RangeZintra Timber 1/2" (12mm) Color
	Range
STANDARD SIZE	2" x 2" x 39.4" (50mm x 50mm x 1000mm)
	7.9" x 2" x 39.4" (200mm x 50mm x 1000mm)
	2" x 3.9" x 39.4" (50mm x 100mm x 1000mm)
	3.9" x 3.9" x 39.4" (100mm x 100mm x 1000mm)
	2" x 7.9" x 39.4" (50mm x 200mm x 1000mm)
	2" x 2" x 93" (50mm x 50mm x 2362mm)
	7.9" x 2" x 93" (200mm x 50mm x 2362mm)
	2" x 3.9" x 93" (50mm x 100mm x 2362mm)
	3.9" x 3.9" x 93" (100mm x 100mm x 2362mm)
	2" x 7.9" x 93" (50mm x 200mm x 2362mm)
INDOOR/OUTDOOR	Indoor only
WET AREAS	No
SUGGESTED INSTALLATION	Insert tube into pre-cut holes in the baffles.
	Move baffles into correct position.
	Fix adjustable wires to tube and ceiling (no screws supplied)
CUSTOMISABLE	The Zintra Acoustic Solutions range is customisable to your project.
	Please get in touch with your local contact for details.
THERMOFORMABLE	No
FIRE RATING	ASTM E-84 – Class A
	E-13501 – B-s2-d0
	AS 5637.1:2015 - Group 1
1	1



## zintraacoustic.com

e hello@zintraacoustic.com

p +1 855 922 7377

REFINISHABLE No  CARE INSTRUCTIONS Remains a part of liquid control of liquid contro	v knife or CNC with an oscillating knife ove spills immediately using damp, clean cloth.  Zintra with a clean, soft white cloth dampened with a mild solution uid detergent and warm water. Repeat using only clean water, pat dry with a lint free cloth.
CARE INSTRUCTIONS  Remain Date of liquid	Zintra with a clean, soft white cloth dampened with a mild solution uid detergent and warm water. Repeat using only clean water,
Dab i	Zintra with a clean, soft white cloth dampened with a mild solution uid detergent and warm water. Repeat using only clean water,
of liq	uid detergent and warm water. Repeat using only clean water,
	pat dry with a lint free cloth.
then	
Avoid	d using wax polishes, solvents or concentrated abrasives.
For n	nore difficult stains, dampen a soft white cloth with a solution of
hous	ehold bleach (10% bleach / 90% water). Dab gently. Repeat using
only	a clean, water dampened cloth to remove bleach
conc	entration then pat dry with a lint free cloth.
Alwa	ys test in an inconspicuous area first. If care instructions don't
delive	er the expected results, cease cleaning method immediately and
conta	act Baresque for assistance.
ENVIRONMENTAL INFORMATION We b	pelieve in the sustainability of both our planet and our people. We
do ev	verything we can to minimise our environmental impact and
creat	e spaces that contribute to the wellness of the people that use
them	
Certi	fied by Declare and HPD, Zintra is made from 100% recyclable



materials. It has low levels of volatile organic compounds and contains no formaldehyde. It's Red List Free and meets the Global Recycling Standard.

Reducing noise levels, minimizing indoor air pollutants, easy cleaning and a Class A fire rating are just a few of the reasons that Zintra is the perfect material for the green buildings of today and tomorrow.