



e hello@zintraacoustic.com

p +1 855 922 7377

## **Concrete Dark Tint**

Zintra Premium Material Print - Zintra Print - New Releases



Texture:

Lustre:

Transparency:

## **DESCRIPTION / FEATURES**

Concrete Dark Tint, with its striking and contemporary appearance, embodies the essence of modern design. From its sleek, dark polished finish to its versatile adaptability across various surfaces, it stands as an exquisite choice for architectural projects.

Within our Zintra collection, Concrete Dark Tint shines brightly among our Premium Material prints, capturing the alluring aesthetics of architectural finishes while delivering top-tier acoustics. The ½" (12mm) Zintra base color has been carefully selected to introduce depth, infusing crispness and unmatched clarity.

Lightweight, versatile, and exceptionally durable, Premium Material opens up a world of creative possibilities for your projects. Craft sustainable spaces that boast not only remarkable acoustics but also timeless beauty. Explore the allure of Concrete Dark Tint within our contemporary context, where form and function coexist seamlessly.

Concrete is also available in Cast Concrete and Polished Concrete.

## **HOW TO SPECIFY**

1. Select Pattern



	Base color is preselect to best match print.
COMPOSITION	1/2" (12mm)
	Density 0.5 lb/ft² 2.4 kg /m²
FINISHES AVAILABLE	Select Concrete Dark Tint' Print
	2. The base color for this design is on 'Slate' ONLY
	3. Select single or double sided print
STANDARD SIZE	48.2" (1225mm) x 110.3" (2800mm)
SUGGESTED INSTALLATION	Ceiling or Wall
	Refer Installation Guide
FIRE RATING	ASTM-E84 - Class A classification
	AS ISO 9705 – 2003 - Group 1 classification
	EN-13501 - B-s2-d0 classification
ADDITIONAL COMMENTS	NRC 0.45 - 0.95
	Features:
	Absords Noise
	Acoustic
	Bleach Cleanable
	Easy Cleanable
	Easy Install
SUPPLIED AS	1 x Zintra Premium Material Print Panel in Concrete Dark Tint
	(Included)
CARE INSTRUCTIONS	Dab Zintra with a damp clean cloth and mild solution of liquid detergent
	and warm water. Repeat using only clean water, then pat dry with a lint
	free cloth.
	For difficult stains, use a solution of household bleach (10% bleach /
	90% water). To remove the bleach, repeat using a clean, water
	dampened cloth, then pat dry.



	Always test in an inconspicuous area first and if you don't see the
	expected results, contact us.
ENVIRONMENTAL INFORMATION	Zintra is made from 100% recyclable materials.
	60% post-consumer recycled content from PET bottles.
	• 35% pre-consumer recycled content from PET chips
	• 5% polylactic acid (PLA)
MATERIAL	Zintra Acoustic Panel - 100% Solution Dyed (Color Through) Polyester
WARRANTY	5 Years
MADE IN	USA
ASSEMBLY & DELIVERY	Ships Flat Pack
	Refer Installation Instructions
CUSTOMIZABLE	Customizable