# Zintrcl®

#### **zintraacoustic.com e** hello@zintraacoustic.com p +1 855 922 7377

### **CONNECT PRISMATIC**

Ceilings - Zintra Baffles



Texture: 3 Lustre: 1 Transparency: 2

Γ	
DESCRIPTION / FEATURES	Add sculptural on-trend geo-accents to your ceiling space with Baffles
	Connect. An innovative solution to large areas requiring improved
	acoustics, Connect Baffle options are designed with full ceiling
	coverage in mind and will create a ceiling space with architectural
	shape, form and definitive character.
	Check out the Zintra 12mm color range here or the DOWNLOAD tab
	below for a pdf.
HOW TO SPECIFY	1. Zintra color
	2. Design
COMPOSITION	Zintra Acoustic Panel - 100% Solution Dyed (color through) Polyester
FINISHES AVAILABLE	Zintra Plain 1/2" (12mm) Color Range
	Zintra Timber 1/2" (12mm) Color Range
STANDARD SIZE	18 triangles / set, 16.9 SF (1.7m <sup>2</sup> )
	30.2" (768mm) w x 88.2" (2241mm) d x 4.7" (120mm) h
INDOOR/OUTDOOR	Indoor only
WET AREAS	No
SUGGESTED INSTALLATION	Check out the DOWNLOAD tab for a complete Handling and
	Installation guide.

# Zintrci®

Baffle Connect components are supplied flat pack.
Fix Adjustable Cable Kit to Ceiling.
Assemble Connect on floor and hang by S-hooks.
Adjust Cable Kit to complete Connect system.
No. Designed for easy on site customisation.
No
ZINTRA
ASTM E-84 - Class A
E-13501 - B-s2-d0
AS 5637.1:2015 - Group 1
NRC - 0.90
Only available from Zintra Acoustic Panel 1/2" (12mm).
Cloud systems include Adjustable Cable Kit. See images on website for
hardware detail.
Longer Cables, multi-color and Digital Print available for an additional
fee.
Stanley knife if required
No
Remove spills immediately using damp, clean cloth.
Dab Zintra with a clean, soft white cloth dampened with a mild solution
of liquid detergent and warm water. Repeat using only clean water,
then pat dry with a lint free cloth.
Avoid using wax polishes, solvents or concentrated abrasives.
Avoid using wax polishes, solvents or concentrated abrasives.
Avoid using wax polishes, solvents or concentrated abrasives. For more difficult stains, dampen a soft white cloth with a solution of
For more difficult stains, dampen a soft white cloth with a solution of

### Zintrci®

	1
	concentration then pat dry with a lint free cloth.
	Always test in an inconspicuous area first. If care instructions don't deliver the expected results, cease cleaning method immediately and
	contact Baresque for assistance.
ENVIRONMENTAL INFORMATION	We believe in the sustainability of both our planet and our people. We
	do everything we can to minimise our environmental impact and
	create spaces that contribute to the wellness of the people that use
	them.
	Certified by Declare and HPD, Zintra is made from 100% recyclable
	materials. It has low levels of volatile organic compounds and contains
	no formaldehyde. It's Red List Free and meets the Global Recycling
	Standard.
	Reducing noise levels, minimizing indoor air pollutants, easy cleaning
	and a Class A fire rating are just a few of the reasons that Zintra is the
	perfect material for the green buildings of today and tomorrow.