

## DIAMOND

### Walls - Zintra Box Tiles



Texture: 2

Lustre: 1

Transparency: 1

<b>DESCRIPTION / FEATURES</b>	<p>With a range of standard sizes and depths, Box Tiles give your walls dimension, color and the acoustic benefits of Zintra. Easy to layout, mix and match, and install, their versatility is an effective addition to any wall.</p> <p>Check out the Zintra 12mm color range <a href="#">here</a> or the DOWNLOAD tab below for a pdf.</p>
<b>HOW TO SPECIFY</b>	<ol style="list-style-type: none"> <li>1. Zintra color</li> <li>2. Design</li> </ol>
<b>COMPOSITION</b>	Zintra Acoustic Panel - 100% Solution Dyed (color through) Polyester
<b>FINISHES AVAILABLE</b>	<a href="#">Zintra Plain 1/2" (12mm) Color Range</a> <a href="#">Zintra Timber 1/2" (12mm) Color Range</a>
<b>STANDARD SIZE</b>	<p>15 tiles / set, 11.7 SF (1.1m<sup>2</sup>)</p> <p>9.5" (242mm) w x 15" (381mm) h x 3" (76mm) d / tile</p>
<b>INDOOR/OUTDOOR</b>	Indoor only
<b>WET AREAS</b>	No
<b>SUGGESTED INSTALLATION</b>	<p>Check out the DOWNLOAD tab for a complete Handling and Installation guide.</p> <p>Supplied as individual Zintra Box Tile (assembled), including dual lock</p>



	<p>fastener screwed into the back of each.</p> <p>Arrange as required with included install template and fit to wall with supplied fasteners (no screws supplied).</p>
<b>CUSTOMISABLE</b>	<p>Size - Yes.</p> <p>Zintra color - Yes. Contact Baresque for details</p>
<b>THERMOFORMABLE</b>	No
<b>BRAND SPEC</b>	ZINTRA
<b>FIRE RATING</b>	<p>ASTM E-84 - Class A</p> <p>E-13501 - B-s2-d0</p> <p>AS 5637.1:2015 - Group 1</p>
<b>ADDITIONAL COMMENTS</b>	<p>NRC - 0.45 - 0.80.</p> <p>Also available with Digital Print.</p> <p>Not suitable as a free standing product.</p>
<b>FABRICATION</b>	Stanley knife if required
<b>REFINISHABLE</b>	No
<b>CARE INSTRUCTIONS</b>	<p>Remove spills immediately using damp, clean cloth.</p> <p>Dab Zintra with a clean, soft white cloth dampened with a mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth.</p> <p>Avoid using wax polishes, solvents or concentrated abrasives.</p> <p>For more difficult stains, dampen a soft white cloth with a solution of household bleach (10% bleach / 90% water). Dab gently. Repeat using only a clean, water dampened cloth to remove bleach concentration then pat dry with a lint free cloth.</p> <p>Always test in an inconspicuous area first. If care instructions don't</p>

	<p>deliver the expected results, cease cleaning method immediately and contact Baresque for assistance.</p>
<b>ENVIRONMENTAL INFORMATION</b>	<p>We believe in the sustainability of both our planet and our people. We do everything we can to minimise our environmental impact and create spaces that contribute to the wellness of the people that use them.</p> <p>Certified by Declare and HPD, Zintrac is made from 100% recyclable materials. It has low levels of volatile organic compounds and contains no formaldehyde. It's Red List Free and meets the Global Recycling Standard.</p> <p>Reducing noise levels, minimizing indoor air pollutants, easy cleaning and a Class A fire rating are just a few of the reasons that Zintrac is the perfect material for the green buildings of today and tomorrow.</p>