


Mesh Baffles Long Offset

New Releases - Ceilings - Zintra Baffles



Texture:
Lustre:
Transparency:

DESCRIPTION / FEATURES	<p>Mesh Baffles - Long Offset 156 Quills</p> <p>Using a unique interconnecting system Zintra Mesh Baffles seamlessly combine style and functionality, providing scalability and cost-effectiveness for wall-to-wall solutions or dynamic focal points.</p> <p>Made from Zintra, the interchangeable, acoustically tuned 8" (209mm) quills hang from the mesh. Their lightweight materials, clever mounting system and simple mesh connectors make them easy to cut, effortless to hang and simple to configure. Wrap effortlessly around columns, with the ability to be customized on-site for hassle-free installation.</p> <p>Sold as a system, you can choose from 6 preconfigured patterns. Each system includes 1 x Powder Coated Mesh, 6 x Y-Hook Cable Hangers, 5 x Wire Rope Clamps and enough quills for your selected design.</p> <p>The Mesh Baffles hang from the ceiling using Y-Hook Cables, which efficiently distribute weight across the interconnected mesh, and minimise ceiling anchor points. These tactile marvels offer</p>
------------------------	---

	<p>multi-directional coverage, enveloping sound from all angles and achieving an NRC values up to 1.0.</p> <p>Designs that morph with a change in light or perspective, you can achieve multi-directional sound coverage and captivating visuals through contrasting or complementary mesh colors (choose from 12 powder coat colors).</p> <p>Quills are available in 24 solid PET colors, 4 timber PET, 12 Premium Wood and 18 Premium Material prints.</p> <p>6 Preconfigured patterns. Modular in design. Easy to connect. Scalable. Easy install.</p>
HOW TO SPECIFY	<ol style="list-style-type: none"> 1. Select Pattern 2. Select PET Color 3. Select Mesh Powder Coat Color 4. Select System Qty 5. Repeat Steps 1-3 per System <p>1 x PET color + 1 x Powder coat color selection per system.</p>
COMPOSITION	<p>1/2" (12mm)</p> <p>Density 0.5 lb/ft² 2.4 kg /m²</p>
SURFACE FINISH	<p>12 Powder Coat Colors (select for Mesh) - Anodized Silver, Bengal White, Denim, Fern, Gunmetal, Light Grey, Marigold, Matte Black, Spice, Tango, Teal, Terracotta.</p>
FINISHES AVAILABLE	<p>24 Colors –Bark, Brick, Cadet, Chambray, Cobalt, Ecru, Fossil, Frost, Grass, Greige, Ivory, Linen, Malachite, Mandarin, Midnight, Ochre, Olive, Pebble, Pewter, Sky, Slate, Smoke, Sunshine, Tar.</p>

	<p>4 Timber Prints - Eucalyptus, Iron bark, Merbau, Spotted Gum.</p> <p>12 Premium Wood Prints - Australian Walnut, Cherry, Claro Walnut, Euro Beech, Knotty Pine, Lace Wood, Maple, Palm Wood, Poplar, Redwood, Rustic Walnut, White Oak.</p> <p>18 Premium Material Prints - Terrazzo Light, Terrazzo Medium, Terrazzo Dark, Travertine Light, Travertine Medium, Travertine Dark, Shale Light, Shale Medium, Shale Dark, Raku Bone, Raku Luster, Raku Jade, Concrete Cast, Concrete Polished, Concrete Dark Tint, Terracotta Sun Kissed, Terracotta Mission, Terracotta Antique</p>
STANDARD SIZE	<p>Individual Quill (baffle) 4" (106mm) w x 8.2" (209mm) h x 0.5" (12mm) d</p> <p>The Americas: 48" (1219mm) w x 8.2" (209mm) h x 96" (2438mm) l</p> <p>MESH ONLY: 48" (1219mm) w x 0.4" (10mm) h x 96" (2438mm) l</p> <p>Australia/Asia: 1200mm w x 209mm h x 2400mm l</p> <p>MESH ONLY: 1200mm w x 10mm h x 2400mm l</p>
WEIGHT	<p>40lb 18kg</p> <p>per system</p>
SUGGESTED INSTALLATION	<p>Ceiling</p>



	<p>Refer Installation Guide</p> <p>Fixing Detail:</p> <p>Y-Hook Cable Hangers</p> <p>Wire Rope Clamps</p>
FIRE RATING	<p>ASTM-E84 - Class A classification</p> <p>AS ISO 9705 – 2003 - Group 1 classification</p> <p>EN-13501 - B-s2-d0 classification</p>
ADDITIONAL COMMENTS	<p>NRC 0.70 - 1.0</p> <p>Features:</p> <p>Absorbs Noise</p> <p>Acoustic</p> <p>Bleach Cleanable</p> <p>Easy Cleanable</p> <p>Easy Install</p>
SUPPLIED AS	<p>Mesh Baffles is a System. Refer inclusions for full details.</p> <p>1 x Powder Coated Mesh 48" (1219mm) w x 96" (2438mm) I OR</p> <p>1 x Powder Coated Mesh 1200mm w x 2400mm I</p> <p>Inclusions:</p> <p>6 x Y-Hook Cable Hangers</p> <p>Standard length 5' (1520mm)</p> <p>5 Wire Rope Clamps</p> <p>156 x Quills</p>
CARE INSTRUCTIONS	<p>Dab Zintra with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth.</p>

	<p>For difficult stains, use a solution of household bleach (10% bleach / 90% water). To remove the bleach, repeat using a clean, water dampened cloth, then pat dry.</p> <p>Always test in an inconspicuous area first and if you don't see the expected results, contact us.</p>
ENVIRONMENTAL INFORMATION	<p>Zintrac is made from 100% recyclable materials.</p> <ul style="list-style-type: none"> • 60% post-consumer recycled content from PET bottles. • 35% pre-consumer recycled content from PET chips • 5% polylactic acid (PLA)
MATERIAL	Zintrac Acoustic Panel - 100% Solution Dyed (Color Through) Polyester
WARRANTY	5 Years
MADE IN	USA
ASSEMBLY & DELIVERY	<p>Ships Flat Pack</p> <p>Refer Installation Instructions</p>
CUSTOMIZABLE	<p>The Zintrac Acoustic Solutions range is customisable to your project.</p> <p>Please get in touch with your local contact for details.</p>