

Raku Bone

Zintra Premium Material Print - Zintra Print - New Releases



Texture: Lustre: Transparency:

| DESCRIPTION / FEATURES | Raku Bone. |
|------------------------|---|
| | |
| | Drawing inspiration from the ancient tradition of Raku pottery, the Zintra |
| | Premium Material collection captures the mesmerizing art form with |
| | absolute realism. In modern times, Raku's vibrant glazes and |
| | unpredictable crackling textures celebrate the beauty of |
| | imperfection—a sensory experience. |
| | |
| | Individually crafted by our designers, Zintra's Premium Material prints |
| | recreate the striking aesthetics of architectural finishes while delivering |
| | superior acoustics. The ½" (12mm) Zintra base color has been |
| | thoughtfully paired to add depth, infusing crispness and unmatched |
| | clarity. |
| | |
| | Lightweight, versatile, and exceptionally durable, Premium Material |
| | opens a world of possibilities for applications, enabling you to craft |
| | sustainable spaces that not only sound exceptional but also radiate |
| | exquisite beauty. Experience the rebirth of Raku's artistry in a |
| | contemporary context, where beauty meets function seamlessly. |
| | |

zintrci®

| | Raku is also available in Raku Lustre and Raku Jade |
|------------------------|--|
| HOW TO SPECIFY | 1. Select Pattern |
| | |
| | Base color is preselect to best match print. |
| COMPOSITION | 1/2" (12mm) |
| | Density 0.5 lb/ft ² 2.4 kg /m ² |
| FINISHES AVAILABLE | 1. Select 'Raku Bone' Print |
| | 2. The base color for this design is on 'Ivory' ONLY |
| | 3. Select single or double sided print |
| STANDARD SIZE | 48.2" (1225mm) x 110.3" (2800mm) |
| SUGGESTED INSTALLATION | Ceiling or Wall |
| | Refer Installation Guide |
| FIRE RATING | ASTM-E84 - Class A classification |
| | AS ISO 9705 – 2003 - Group 1 classification |
| | EN-13501 - B-s2-d0 classification |
| ADDITIONAL COMMENTS | NRC 0.45 - 0.95 |
| | |
| | Features: |
| | Absords Noise |
| | Acoustic |
| | Bleach Cleanable |
| | Easy Cleanable |
| | Easy Install |
| SUPPLIED AS | 1 x Zintra Premium Material Print Panel in Raku Bone (Included) |
| CARE INSTRUCTIONS | Dab Zintra with a damp clean cloth and mild solution of liquid detergent |
| | and warm water. Repeat using only clean water, then pat dry with a lint |
| | free cloth. |
| | For difficult stains, use a solution of household bleach (10% bleach / |
| | |

Zintrci®

| ENVIRONMENTAL INFORMATION | 90% water). To remove the bleach, repeat using a clean, water dampened cloth, then pat dry. Always test in an inconspicuous area first and if you don't see the expected results, contact us. Zintra is made from 100% recyclable materials. 60% post-consumer recycled content from PET bottles. 35% pre-consumer recycled content from PET chips 5% polylactic acid (PLA) |
|---------------------------|--|
| MATERIAL | Zintra Acoustic Panel - 100% Solution Dyed (Color Through) Polyester |
| WARRANTY | 5 Years |
| MADE IN | USA |
| ASSEMBLY & AMP; DELIVERY | Ships Flat Pack |
| | Refer Installation Instructions |
| CUSTOMIZABLE | Customizable |