



e hello@zintraacoustic.com

p +1 855 922 7377

BATTEN 6

Walls - Zintra 3D Wall Panels



Texture: 3 Lustre: 1

Transparency: 1

DESCRIPTION / FEATURES	Seamlessly joined 3D Wall Panels offer an interesting and functional	
	acoustic element to straight or curved walls. Adding depth and design	
	to flat surfaces which absorb sound and cancel out soundwaves, 3D	
	Wall Panels are narrow with a small pattern repeat which means they	
	can be easily adjusted to fit wall to wall without custom drawings.	
	* Increased noise absorption (NRC 0.45 - 0.90)	
	* Easy installation	
	* Broad range of neutral and bright colors	
	* Incredible depth and texture	
HOW TO SPECIFY	1. Zintra color	
	2. Design	
COMPOSITION	Zintra Acoustic Panel - 100% Solution Dyed (color through) Polyester	
FINISHES AVAILABLE	Zintra Plain 1/2" (12mm) Color Range	
	Zintra Timber 1/2" (12mm) Color Range	
STANDARD SIZE	3 strips / set, 27 SF (2.5m²)	
	12" (305mm) w x 108.1" (2745mm) h x 1.5" (37mm) d / strip	
WEIGHT	2.3 kg/m ²	
INDOOR/OUTDOOR	Indoor only	





e hello@zintraacoustic.com

1	+1	855	922	7377	
J	ΤI	000	322	1311	

WET AREAS	No
PATTERN REPEAT	292mm h
SUGGESTED INSTALLATION	Refer to install guide for screw locations and spacing (screws not
	included).
	Screw into wall through indicated joins using suitable screws for
	substrate.
	Push panel to protrude texture and screw in place.
	Repeat in a tile like fashion across space.
CUSTOMISABLE	Size - Cut to size on site
	Zintra color - Yes.
	Contact Baresque for details
THERMOFORMABLE	No
BRAND SPEC	ZINTRA
FIRE RATING	ASTM E-84 - Class A
	E-13501 - B-s2-d0
	AS 5637.1:2015 - Group 1
ADDITIONAL COMMENTS	Not suitable as a free standing product.
FABRICATION	Stanley knife
REFINISHABLE	No
CARE INSTRUCTIONS	Remove spills immediately using damp, clean cloth.
	Dab Zintra with a clean, soft white cloth dampened with a mild solution
	of liquid detergent and warm water. Repeat using only clean water,
	then pat dry with a lint free cloth.
	Avoid using wax polishes, solvents or concentrated abrasives.
	For more difficult stains, dampen a soft white cloth with a solution of
	household bleach (10% bleach / 90% water). Dab gently. Repeat using



only a clean, water dampened cloth to remove bleach concentration then pat dry with a lint free cloth.

Always test in an inconspicuous area first. If care instructions don't deliver the expected results, cease cleaning method immediately and contact Baresque for assistance.

ENVIRONMENTAL INFORMATION

We believe in the sustainability of both our planet and our people. We do everything we can to minimise our environmental impact and create spaces that contribute to the wellness of the people that use them.

Certified by Declare and HPD, Zintra is made from 100% recyclable materials. It has low levels of volatile organic compounds and contains no formaldehyde. It's Red List Free and meets the Global Recycling Standard.

Reducing noise levels, minimizing indoor air pollutants, easy cleaning and a Class A fire rating are just a few of the reasons that Zintra is the perfect material for the green buildings of today and tomorrow.