

## CHEVRON

### Walls - Zintra Tiles



Texture: 1

Lustre: 1

Transparency: 1

<b>DESCRIPTION / FEATURES</b>	<p>Have some creative fun by mixing and matching Zintra Plain and Etch Tiles in 28 colors and 13 shapes. The combinations are ... well almost limitless! Install as either wall to wall or as feature artwork to create an option suitable for any commercial, education or hospitality environment.</p> <p>Check out the Zintra 12mm color range <a href="#">here</a> or the DOWNLOAD tab below for a pdf.</p>
<b>HOW TO SPECIFY</b>	<ol style="list-style-type: none"> <li>1. Zintra color</li> <li>2. Design</li> </ol>
<b>COMPOSITION</b>	Zintra Acoustic Panel - 100% Solution Dyed (color through) Polyester
<b>FINISHES AVAILABLE</b>	<a href="#">Zintra Plain 1/2" (12mm) Color Range</a> <a href="#">Zintra Timber 1/2" (12mm) Color Range</a>
<b>STANDARD SIZE</b>	<p>10 tiles / set, 31.7 SF (2.9m<sup>2</sup>)</p> <p>23.62" (600mm) x 23.62" (600mm)</p>
<b>INDOOR/OUTDOOR</b>	Indoor only
<b>WET AREAS</b>	No
<b>SUGGESTED INSTALLATION</b>	Check out the DOWNLOAD tab for a complete Handling and Installation guide.



	Supplied as a set of individual tiles. Arrange as required. Adhere to substrate using contact adhesive, Liquid Nails or Z clips.
<b>CUSTOMISABLE</b>	Size - Yes. Zintra color - Yes. Contact Baresque for details
<b>THERMOFORMABLE</b>	No
<b>BRAND SPEC</b>	ZINTRA
<b>FIRE RATING</b>	ASTM E-84 - Class A E-13501 - B-s2-d0 AS 5637.1:2015 - Group 1
<b>ADDITIONAL COMMENTS</b>	Available in both Plain and Etch. NRC - 0.45 Sold in sets. Also available with Digital Print. Not suitable as a free standing product.
<b>FABRICATION</b>	Stanley knife if required
<b>REFINISHABLE</b>	No
<b>CARE INSTRUCTIONS</b>	Remove spills immediately using damp, clean cloth.  Dab Zintra with a clean, soft white cloth dampened with a mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth.  Avoid using wax polishes, solvents or concentrated abrasives.  For more difficult stains, dampen a soft white cloth with a solution of household bleach (10% bleach / 90% water). Dab gently. Repeat using only a clean, water dampened cloth to remove bleach concentration then pat dry with a lint free cloth.

	<p>Always test in an inconspicuous area first. If care instructions don't deliver the expected results, cease cleaning method immediately and contact Baresque for assistance.</p>
<b>ENVIRONMENTAL INFORMATION</b>	<p>We believe in the sustainability of both our planet and our people. We do everything we can to minimise our environmental impact and create spaces that contribute to the wellness of the people that use them.</p> <p>Certified by Declare and HPD, Zintrac is made from 100% recyclable materials. It has low levels of volatile organic compounds and contains no formaldehyde. It's Red List Free and meets the Global Recycling Standard.</p> <p>Reducing noise levels, minimizing indoor air pollutants, easy cleaning and a Class A fire rating are just a few of the reasons that Zintrac is the perfect material for the green buildings of today and tomorrow.</p>