



e hello@zintraacoustic.com

p +1 855 922 7377

PIVOT

Walls - Zintra Patterns



Texture:

Lustre:

Transparency:

	<u> </u>	
DESCRIPTION / FEATURES	Baresque's popular acoustic solution has undergone a style update to	
	bring you Zintra Patterns.	
	Experience our virtually unlimited range of classic to contemporary	
	perforated designs cut out of Zintra, which can then be paired with a	
	matching or contrasting solid Zintra backing panel to create a unique	
	look for walls or ceilings. In just the one product you will find style,	
	texture, contrast, depth and the added benefit of sound absorption to	
	create a harmonious environment.	
	* Increased noise absorption (NRC 0.45 - 0.95)	
	* Easy installation for walls, ceilings and as room dividers	
	* Broad range of neutral and bright colours	
	* Virtually unlimited range of designs	
HOW TO SPECIFY	1. Design	
	2. Size	
	3. Colour	
	4. Backing Colour (if required)	
COMPOSITION	Zintra Acoustic Panel - 100% Solution Dyed (Colour Through)	
	Polyester	





e hello@zintraacoustic.com

n	+1	855	922	7377	
Ρ		000	022	1011	

	1
FINISHES AVAILABLE	Zintra Plain 1/2" (12mm) Color RangeZintra Timber 1/2" (12mm) Color Range
STANDARD SIZE	PATTERNS ONLY48" x 108" x 0.5" (1220mm x 2745mm x 12mm)23.8"
	x 47.8" x 0.5" (603mm x 1213mm x 12mm)23.8" x 23.8" x 0.5" (603mm
	x 603mm x 12mm)PATTERNS ON BACKER48" x 108" x 1" (1220mm x
	2745mm x 24mm)23.8" x 47.8" x 1" (603mm x 1213mm x 24mm)23.8"
	x 23.8" x 1" (603mm x 603mm x 24mm)
INDOOR/OUTDOOR	Indoor only
WET AREAS	No
SUGGESTED INSTALLATION	Zintra Pattern - choose from one of Baresque's hardware options or
	choose your own to install as a room divider, ceiling tile or wall / ceiling
	feature
	Zintra Pattern on Backer - Adhere to substrate using contact adhesive
	or Liquid Nails. Panel can be mechanically fixed using details similar to
	glass fittings
CUSTOMISABLE	The Zintra Acoustic Solutions range is customisable to your project.
	Please get in touch with your local contact for details.
THERMOFORMABLE	No
FIRE RATING	ASTM E-84 – Class A
	E-13501 – B-s2-d0
	AS 5637.1:2015 - Group 1
ADDITIONAL COMMENTS	Not suitable as a free standing product.
FABRICATION	Utility knife or CNC with an oscillating knife
REFINISHABLE	No
	1





e hello@zintraacoustic.com

p +1 855 922 7377

CARE INSTRUCTIONS

Remove spills immediately using damp, clean cloth.

Dab Zintra with a clean, soft white cloth dampened with a mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth.

Avoid using wax polishes, solvents or concentrated abrasives.

For more difficult stains, dampen a soft white cloth with a solution of household bleach (10% bleach / 90% water). Dab gently. Repeat using only a clean, water dampened cloth to remove bleach concentration then pat dry with a lint free cloth.

Always test in an inconspicuous area first. If care instructions don't deliver the expected results, cease cleaning method immediately and contact Baresque for assistance.

ENVIRONMENTAL INFORMATION

We believe in the sustainability of both our planet and our people. We do everything we can to minimise our environmental impact and create spaces that contribute to the wellness of the people that use them.

Certified by Declare and HPD, Zintra is made from 100% recyclable materials. It has low levels of volatile organic compounds and contains no formaldehyde. It's Red List Free and meets the Global Recycling



Standard.
Reducing noise levels, minimizing indoor air pollutants, easy cleaning and a Class A fire rating are just a few of the reasons that Zintra is the perfect material for the green buildings of today and tomorrow.
periodi material for the green ballatings of today and temorrow.