SANSKRIT

Walls - Zintra Patterns



Texture: 3 Lustre: 1 Transparency: 1

| DESCRIPTION / FEATURES | Baresque's popular acoustic solution has undergone a style update to |
|------------------------|--|
| | bring you Zintra Patterns. |
| | |
| | Experience our virtually unlimited range of classic to contemporary |
| | perforated designs cut out of Zintra, which can then be paired with a |
| | matching or contrasting solid Zintra backing panel to create a unique |
| | look for walls or ceilings. In just the one product you will find style, |
| | texture, contrast, depth and the added benefit of sound absorption to |
| | create a harmonious environment. |
| | * Increased noise absorption (NRC 0.45 - 0.95) |
| | * Easy installation for walls, ceilings and as room dividers |
| | * Broad range of neutral and bright colours |
| | * Virtually unlimited range of designs |
| HOW TO SPECIFY | 1. Design |
| | 2. Size |
| | 3. Colour |
| | 4. Backing Colour (if required) |
| COMPOSITION | Zintra Acoustic Panel - 100% Solution Dyed (Colour Through) |
| | Polyester |
| | |

| FINISHES AVAILABLE | Zintra Plain 1/2" (12mm) Color RangeZintra Timber 1/2" (12mm) Color |
|------------------------|--|
| | Range |
| STANDARD SIZE | PATTERNS ONLY48" x 108" x 0.5" (1220mm x 2745mm x 12mm)23.8" |
| | x 47.8" x 0.5" (603mm x 1213mm x 12mm)23.8" x 23.8" x 0.5" (603mm |
| | x 603mm x 12mm)PATTERNS ON BACKER48" x 108" x 1" (1220mm x |
| | 2745mm x 24mm)23.8" x 47.8" x 1" (603mm x 1213mm x 24mm)23.8" |
| | x 23.8" x 1" (603mm x 603mm x 24mm) |
| | |
| | |
| | |
| | |
| INDOOR/OUTDOOR | Indoor only |
| | |
| WET AREAS | No |
| PATTERN REPEAT | N/A |
| SUGGESTED INSTALLATION | Zintra Pattern - choose from one of Baresque's hardware options or |
| | choose your own to install as a room divider, ceiling tile or wall / ceiling |
| | feature |
| | |
| | Zintra Pattern on Backer - Adhere to substrate using contact adhesive |
| | or Liquid Nails. Panel can be mechanically fixed using details similar to |
| | glass fittings |
| CUSTOMISABLE | The Zintra Acoustic Solutions range is customisable to your project. |
| | Please get in touch with your local contact for details. |
| THERMOFORMABLE | No |
| FIRE RATING | ASTM E-84 – Class A |
| | E-13501 – B-s2-d0 |
| | AS 5637.1:2015 - Group 1 |
| ADDITIONAL COMMENTS | Not suitable as a free standing product. |
| FABRICATION | Utility knife or CNC with an oscillating knife |
| L | |

| REFINISHABLE | No |
|---------------------------|---|
| CARE INSTRUCTIONS | Remove spills immediately using damp, clean cloth. |
| | Dab Zintra with a clean, soft white cloth dampened with a mild solution |
| | of liquid detergent and warm water. Repeat using only clean water, |
| | then pat dry with a lint free cloth. |
| | Avoid using wax polishes, solvents or concentrated abrasives. |
| | For more difficult stains, dampen a soft white cloth with a solution of |
| | household bleach (10% bleach / 90% water). Dab gently. Repeat using |
| | only a clean, water dampened cloth to remove bleach |
| | concentration then pat dry with a lint free cloth. |
| | Always test in an inconspicuous area first. If care instructions don't |
| | deliver the expected results, cease cleaning method immediately and |
| | contact Baresque for assistance. |
| | |
| | |
| | |
| | |
| ENVIRONMENTAL INFORMATION | We believe in the sustainability of both our planet and our people. We |
| | do everything we can to minimise our environmental impact and |
| | create spaces that contribute to the wellness of the people that use |
| | them. |
| | Certified by Declare and HPD, Zintra is made from 100% recyclable |
| | materials. It has low levels of volatile organic compounds and contains |

no formaldehyde. It's Red List Free and meets the Global Recycling Standard.

Reducing noise levels, minimizing indoor air pollutants, easy cleaning and a Class A fire rating are just a few of the reasons that Zintra is the perfect material for the green buildings of today and tomorrow.