



e hello@zintraacoustic.com

p +1 855 922 7377

## **VJ BOARD NARROW**

Walls - Zintra Etch



**HOW TO SPECIFY** 

Texture:

Lustre:

Transparency:

DESCRIPTION / FEATURES	Acoustic absorption meets dynamic 3D design with Baresque's new
	Zintra Etch. Featuring a range of subtle textures, Zintra Etch will help
	deliver a cutting-edge but welcoming atmosphere to your next
	commercial, hospitality or institutional interior.
	Zintra Etch is available in an extensive range of understated to
	statement colours and will cultivate calming environs with this
	cost-effective sound and design solution. Zintra Etch is also easily able
	to tied back to plain Zintra sheets or talk to us about replicating your
	Etch pattern in Zintra on Zintra.
	Zintra Etch Features:
	* Suitable for wall cladding or ceilings
	* NRC equals at least 0.45
	* pattern matching with seamless hidden joins (excl VJ Angle and
	Kaleido)
	* 2795mm sheet size allows join-free floor-to-ceiling and easy fitout
	* Designs easily customised to suit your needs

1. Design

2. Colour





e hello@zintraacoustic.com

p +1 855 922 7377

COMPOSITION	Zintra Acoustic Panel - 100% Solution Dyed (Colour Through)
	Polyester
FINISHES AVAILABLE	Zintra Plain 1/2" (12mm) Color RangeZintra Timber 1/2" (12mm) Color
	Range
STANDARD SIZE	48" x 108" x 0.5" (1219mm x 2743mm x 12mm)
INDOOR/OUTDOOR	Indoor only
WET AREAS	No
SUGGESTED INSTALLATION	Adhere to substrate using contact adhesive or Liquid Nails. Panel can
	be mechanically fixed using details similar to glass fittings.
CUSTOMISABLE	The Zintra Acoustic Solutions range is customisable to your project.
	Please get in touch with your local contact for details.
THERMOFORMABLE	No
FIRE RATING	ASTM E-84 – Class A
	E-13501 – B-s2-d0
	AS 5637.1:2015 - Group 1
ADDITIONAL COMMENTS	Etch is a 3mm deep V groove.
	Not suitable as a free standing product.
SUPPLIED AS	Full sheets for cutting to size on site as required
FABRICATION	Utility knife or CNC with an oscillating knife
REFINISHABLE	No
CARE INSTRUCTIONS	Remove spills immediately using damp, clean cloth.
	Dab Zintra with a clean, soft white cloth dampened with a mild solution
	of liquid detergent and warm water. Repeat using only clean water,
	then pat dry with a lint free cloth.
	Avoid using wax polishes, solvents or concentrated abrasives.
	For more difficult stains, dampen a soft white cloth with a solution of



	household bleach (10% bleach / 90% water). Dab gently. Repeat using
	only a clean, water dampened cloth to remove bleach
	concentration then pat dry with a lint free cloth.
	Always test in an inconspicuous area first. If care instructions don't
	deliver the expected results, cease cleaning method immediately and
	contact Baresque for assistance.
ENVIRONMENTAL INFORMATION	We believe in the sustainability of both our planet and our people. We
	do everything we can to minimise our environmental impact and
	create spaces that contribute to the wellness of the people that use
	them.
	Certified by Declare and HPD, Zintra is made from 100% recyclable
	materials. It has low levels of volatile organic compounds and contains
	no formaldehyde. It's Red List Free and meets the Global Recycling
	Standard.
	Reducing noise levels, minimizing indoor air pollutants, easy cleaning
	and a Class A fire rating are just a few of the reasons that Zintra is the
	perfect material for the green buildings of today and tomorrow.