

## ZINTRA TIMBER

### Walls - Zintra Acoustic Panel



Texture:

Lustre:

Transparency:

<b>DESCRIPTION / FEATURES</b>	<p>Zintra Timber is a range of four timber “species” available ex stock alongside our existing 20 plain colors and offering all the acoustic benefits of Zintra.</p> <p>Zintra Timber is the perfect solution for your application where acoustic performance as well as aesthetics are required. Timber's wide range of colors and ease of use make it the ideal material for commercial, hospitality and institutional projects. Zintra Timber Panel features include:</p> <ul style="list-style-type: none"> <li>* Cost effective sound solution - NRC = 0.45 for 12mm (1/2")</li> <li>* 2800mm (110") long sheets ideal for join-free floor to ceiling applications</li> <li>* Broad range of neutral and bright colours</li> <li>* Suitable for a multitude of applications - walls, ceilings, screens</li> <li>* Easily fabricated and installed</li> <li>* Pinnable</li> </ul> <p><a href="#">Download the complete Zintra Embossed brochure</a></p>
<b>HOW TO SPECIFY</b>	<p>1. Colour</p>

<b>COMPOSITION</b>	Zintra Acoustic Panel - 100% Solution Dyed (Colour Through) Polyester
<b>FINISHES AVAILABLE</b>	<a href="#">Zintra Plain 1/2" (12mm) Color Range</a> <a href="#">Zintra Timber 1/2" (12mm) Color Range</a>
<b>STANDARD SIZE</b>	48.2" x 110.3" x 0.5" (1225mm x 2800mm x 12mm)
<b>WEIGHT</b>	2.4kg/m <sup>2</sup> (0.5lbs / sq. ft)
<b>INDOOR/OUTDOOR</b>	Indoor only
<b>WET AREAS</b>	No
<b>SUGGESTED INSTALLATION</b>	Adhere to substrate using contact adhesive or Liquid Nails. Panel can be mechanically fixed using details similar to glass fittings.
<b>CUSTOMISABLE</b>	The Zintra Acoustic Solutions range is customisable to your project. Please get in touch with your local contact for details.
<b>THERMOFORMABLE</b>	No
<b>FIRE RATING</b>	ASTM E-84 - Class A E-13501 - B-s2-d0 AS 5637.1:2015 - Group 1
<b>FABRICATION</b>	Utility knife or CNC with an oscillating knife
<b>REFINISHABLE</b>	No
<b>CARE INSTRUCTIONS</b>	<p>Remove spills immediately using damp, clean cloth.</p> <p>Dab Zintra with a clean, soft white cloth dampened with a mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth.</p> <p>Avoid using wax polishes, solvents or concentrated abrasives.</p> <p>For more difficult stains, dampen a soft white cloth with a solution of household bleach (10% bleach / 90% water). Dab gently. Repeat using only a clean, water dampened cloth to remove bleach</p>

	<p>concentration then pat dry with a lint free cloth.</p> <p>Always test in an inconspicuous area first. If care instructions don't deliver the expected results, cease cleaning method immediately and contact Baresque for assistance.</p>
<b>ENVIRONMENTAL INFORMATION</b>	<p>We believe in the sustainability of both our planet and our people. We do everything we can to minimise our environmental impact and create spaces that contribute to the wellness of the people that use them.</p> <p>Certified by Declare and HPD, Zintrac is made from 100% recyclable materials. It has low levels of volatile organic compounds and contains no formaldehyde. It's Red List Free and meets the Global Recycling Standard.</p> <p>Reducing noise levels, minimizing indoor air pollutants, easy cleaning and a Class A fire rating are just a few of the reasons that Zintrac is the perfect material for the green buildings of today and tomorrow.</p>