

## ZINTRA LAYERS 3D

### Walls - Zintra Layers



Texture:

Lustre:

Transparency:

<b>DESCRIPTION / FEATURES</b>	<p>Zintra Layers 3D brings another distinctive variation to the Zintra range. By laying up the same colour of Zintra cut into strips of the same thickness, but of different heights, a distinctive shadow is created across the tile. Applied to a Zintra Acoustic panel backer, Zintra Layers 3D complements Zintra Layers as the ultimate aesthetic and acoustic solutions. Zintra Layers 3D features include: * Strips of different heights * Cost effective sound solution - NRC = 0.75* Broad range of neutral and bright colours * Suitable for a multiple applications - walls, ceilings, * Easily fabricated and installed * Pinnable</p>
<b>HOW TO SPECIFY</b>	<p>1. Size 2. Colour - The height combination of the strips is random and not specifiable. All Zintra Layers 3D are supplied on a Zintra Acoustic backer in Black.</p>
<b>COMPOSITION</b>	<p>Zintra Acoustic Panel - 100% Solution Dyed (Colour Through) Polyester</p>
<b>FINISHES AVAILABLE</b>	<p><a href="#">Zintra Plain 1/2" (12mm) Color Range</a><a href="#">Zintra Timber 1/2" (12mm) Color</a></p>

	<a href="#">Range</a>
<b>STANDARD SIZE</b>	48" x 108" x 2" (1220mm x 2745mm x 50mm)
<b>INDOOR/OUTDOOR</b>	Indoor only
<b>WET AREAS</b>	No
<b>SUGGESTED INSTALLATION</b>	Adhere to substrate using contact adhesive, Liquid Nails or Z clips. Panel can be mechanically fixed.
<b>CUSTOMISABLE</b>	The Zintra Acoustic Solutions range is customisable to your project. Please get in touch with your local contact for details.
<b>THERMOFORMABLE</b>	No
<b>FIRE RATING</b>	ASTM E-84 - Class AE-13501 - B-s2-d0AS 5637.1:2015 - Group 1_test_
<b>ADDITIONAL COMMENTS</b>	As Zintra Layers 3D are hand-made, an exact pattern match from one panel to the next is not possible. All Zintra Layers 3D are supplied on a Zintra Acoustic backer in Black.
<b>FABRICATION</b>	Utility knife or CNC with an oscillating knife
<b>REFINISHABLE</b>	No
<b>CARE INSTRUCTIONS</b>	<p>Remove spills immediately using damp, clean cloth.</p> <p>Dab Zintra with a clean, soft white cloth dampened with a mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth.</p> <p>Avoid using wax polishes, solvents or concentrated abrasives.</p> <p>For more difficult stains, dampen a soft white cloth with a solution of household bleach (10% bleach / 90% water). Dab gently. Repeat using only a clean, water dampened cloth to remove bleach</p>

	<p>concentration then pat dry with a lint free cloth.</p> <p>Always test in an inconspicuous area first. If care instructions don't deliver the expected results, cease cleaning method immediately and contact Baresque for assistance.</p>
<b>ENVIRONMENTAL INFORMATION</b>	<p>We believe in the sustainability of both our planet and our people. We do everything we can to minimise our environmental impact and create spaces that contribute to the wellness of the people that use them.</p> <p>Certified by Declare and HPD, Zintrac is made from 100% recyclable materials. It has low levels of volatile organic compounds and contains no formaldehyde. It's Red List Free and meets the Global Recycling Standard.</p> <p>Reducing noise levels, minimizing indoor air pollutants, easy cleaning and a Class A fire rating are just a few of the reasons that Zintrac is the perfect material for the green buildings of today and tomorrow.</p>