Zintrcl®

zintraacoustic.com e hello@zintraacoustic.com p +1 855 922 7377

ZINTRA LAYERS

Walls - Zintra Layers



Texture: Lustre: Transparency:

DESCRIPTION / FEATURES	Zintra Layers brings a distinctive colour variation to the Zintra range by
	laying up different coloured strips of Zintra in the same thickness onto a
	Zintra Acoustic panel backer. Whether you're after subdued and subtle
	variation or a bright and contrasting explosion of colour, Zintra Layers is
	the ultimate aesthetic and acoustic solution. Zintra Layers features
	include:
	* Cost effective sound solution - NRC = 0.75
	* Broad range of neutral and bright colours
	* Suitable for multiple applications - walls, ceilings,
	* Easily fabricated and installed
	* Pinnable
HOW TO SPECIFY	1. Size 2. Up to 3 colours (max) - The colour combination is random
	and not specifiable. All Zintra Layers are supplied on a Zintra Acoustic
	backer in Black.
COMPOSITION	Zintra Acoustic Panel - 100% Solution Dyed (Colour Through)
	Polyester
FINISHES AVAILABLE	Zintra Plain 1/2" (12mm) Color RangeZintra Timber 1/2" (12mm) Color
	Range

Zintrcl®

STANDARD SIZE	48" x 108" x 1" (1220mm x 2745mm x 25mm)
INDOOR/OUTDOOR	Indoor only
WET AREAS	No
PATTERN REPEAT	N/A
SUGGESTED INSTALLATION	Adhere to substrate using contact adhesive, Liquid Nails or Z clips.
	Panel can be mechanically fixed.
CUSTOMISABLE	The Zintra Acoustic Solutions range is customisable to your project.
	Please get in touch with your local contact for details.
THERMOFORMABLE	No
FIRE RATING	ASTM E-84 - Class A
	E-13501 - B-s2-d0
	AS 5637.1:2015 - Group 1
ADDITIONAL COMMENTS	As Zintra Layers are hand-made, an exact pattern match from one
	panel to the next is not possible.All Zintra Layers are supplied on a
	Zintra Acoustic backer in Black.
FABRICATION	Utility knife or CNC with an oscillating knife
REFINISHABLE	No
CARE INSTRUCTIONS	Remove spills immediately using damp, clean cloth.
	Dab Zintra with a clean, soft white cloth dampened with a mild solution
	of liquid detergent and warm water. Repeat using only clean water,
	then pat dry with a lint free cloth.
	Avoid using wax polishes, solvents or concentrated abrasives.
	For more difficult stains, dampen a soft white cloth with a solution of
	household bleach (10% bleach / 90% water). Dab gently. Repeat using
	only a clean, water dampened cloth to remove bleach
	concentration then pat dry with a lint free cloth.

zintrci®

	Always test in an inconspisuous area first. If sars instructions dealt
	Always test in an inconspicuous area first. If care instructions don't
	deliver the expected results, cease cleaning method immediately and
	contact Baresque for assistance.
ENVIRONMENTAL INFORMATION	We believe in the sustainability of both our planet and our people. We
	do everything we can to minimise our environmental impact and
	create spaces that contribute to the wellness of the people that use
	them.
	Certified by Declare and HPD, Zintra is made from 100% recyclable
	materials. It has low levels of volatile organic compounds and contains
	no formaldehyde. It's Red List Free and meets the Global Recycling
	Standard.
	Reducing noise levels, minimizing indoor air pollutants, easy cleaning
	and a Class A fire rating are just a few of the reasons that Zintra is the
	perfect material for the green buildings of today and tomorrow.
	peneor material for the green buildings of today and tomorrow.