

ELEVATOR A-1
BOBES 1-15


zintra[®]
STICKS

Zintra Sticks is a versatile, easy and sustainable way to improve the aesthetics and acoustics of interior spaces.

Each Sticks system is made up of a mounting kit and pre-configured set of sticks that come ready to install on walls or ceilings. They're lightweight, printable, easy to cut, and come in a range of 24 colors and realistic wood prints that give them a wide range of creative applications.

Being made from Zintra, Sticks has been independently tested so that you know it's made from 100% recyclable materials, has low levels of VOC, doesn't contain formaldehyde, and has been awarded a Class A fire rating.


Introducing four new sticks systems and twelve Premium Wood Prints to complement the Timber + Sticks range.



2. Product: Zintra Individual Sticks
Color: Premium Wood Print Lacewood

QUADRATIC STICKS

We've used a quadratic residue sequence to design Sticks that deliver superior acoustics. The variable height sticks maximize sound absorption, minimize sound reverberation and diffuse sound energy back into the room. The result; good looking interior spaces with less echoes and more speech clarity.




QUADRATIC NARROW

SIDE VIEW



INDEPENDENT STICKS

Designed for designers, Independent Sticks gives you limitless acoustic creativity. Each lightweight stick comes with a self-contained mounting kit so it can be independently installed at any angle. Eye catching feature walls, custom art installations, or asymmetrical patterns that run the length of a space, it's up to you and your imagination.



INDEPENDENT WIDE
FRONT VIEW


INDEPENDENT NARROW
FRONT VIEW



CURVED STICKS


Adding a sense of depth and dynamism to flat surfaces without structural changes isn't easy. It's why we developed Curved Sticks. The unique installation rib allows you to use a single set of Sticks to create a simple curve, or, if you want your project to make waves, combine multiple sets and design a dramatic ceiling wide swell.

CURVED NARROW
FRONT VIEW



TOP VIEW

CURVED WIDE
FRONT VIEW




TOP VIEW




DOUBLE SIDED STICKS

Designing spaces within spaces is an artform. Double Sided Sticks helps by creating spaces in the round. They're perfect for everything from in-store displays, to reception areas and break-out spaces. Use a single set to build a half-height modesty screen, or double down with an additional set to create a full height wall for an almost permanent, almost office.

DOUBLE SIDED PORTRAIT WIDE




DOUBLE SIDED PORTRAIT NARROW



DOUBLE SIDED STICKS LANDSCAPE

Double Sided Landscape Half Sets have been designed to allow for the flexible placement of sticks during installation. This allows for the best location of the screen for your application.



Zintra Tube Covers are easily trimmed onsite to the correct length during install.
 All Double Sided Landscape Stick systems come complete with matching end caps.



12. Product: Zintra Double Sided Sticks | Landscape Narrow | Full set
 Color: Cadet



ORIGINAL STICKS

Large surfaces offer opportunities to dramatically improve the acoustics of a space, but with that comes installation challenges. Original Sticks were the Sticks that started it all – a system designed to create seamless transitions around corners and curved horizontal or vertical transitions between ceilings and floors. Nothing has changed, they still do exactly that.



STICKS BUNDLE WIDE – FRONT VIEW



PORTRAIT TRANSITION
WIDE SET


289mm h x 953mm w

STICKS BUNDLE NARROW – FRONT VIEW



PORTRAIT TRANSITION
NARROW SET

289mm h x 953mm w



Plain Colors



Premium Wood Print & Timber

PREMIUM WOOD PRINT: Made to order realism with high resolution photography printed single or double sided. Matching edge banding available.



TIMBER: Stocked wood grain, printed single or double sided.

Specifications

	QUADRATIC	INDEPENDENT		CURVED		ORIGINAL	
	NARROW	NARROW	WIDE	NARROW	WIDE	NARROW	WIDE
Inclusions:	7 x 1" (25mm) Aluminium Tube Notched 16 x Narrow Sticks	Fixing Cleats 12 x Narrow Sticks	Fixing Cleats 10 x Wide Sticks	Curved Rib 3 x 1" (25mm) Aluminum Tube Notched 20 x Narrow Sticks	Curved Rib 3 x 1" (25mm) Aluminum Tube Notched 10 x Wide Sticks	7 x 1" (25mm) Aluminium Tube Notched 16 x Narrow Sticks	7 x 1" (25mm) Aluminium Tube Notched 8 x Wide Sticks
Width	37.5" (953mm)	36" (914mm)	50" (1270mm)	45.6" (1158mm)	45.6" (1158mm)	37.5" (953mm)	37.5" (953mm)
Height	108" (2743mm)	108" (2743mm)	108" (2743mm)	108" (2743mm)	108" (2743mm)	108" (2743mm)	108" (2743mm)
Depth	1" (25mm) 2" (51mm) 3" (76mm) 4" (102mm)	1.9" (48mm)	1.9" (48mm)	8.7" (223mm)	8.7" (223mm)	2.4" (61mm)	2.4" (61mm)
Individual Stick Width	1.66" (42mm)	2" (48mm)	4" (102mm)	1.66" (42mm)	4" (102mm)	1.66" (42mm)	4" (102mm)
NRC Rating	NRC 0.95	NRC 0.80	NRC 0.80	NRC 0.80	NRC 0.80	NRC 0.80	NRC 0.80
Material	Zintra Acoustic Panel – 100% Solution Dyed (Color Through) Polyester						
PET Thickness	1/2" (12mm)						
Application	Indoor Only						
Plain Colors	24						
Timber Print	4						
Premium Wood Print	12						
Customizable Print	Yes – get in touch to chat through your project requirements						
Assembly Required	Yes						
Fire Rating	ASTM-E84 – Class A classification AS ISO 9705 – 2003 – Group 1 classification EN-13501 – B-s2-d0 classification "						
Lightfastness	AATCC 16.3, Option 3: Zintra sticks – 1/2" (12mm) Panel color change at 40AFU is 4.5						
Temperature	Maximum temperature exposure is 240°F (115°C)						
Moisture Absorption	When exposed to an atmosphere of 120°F (49°C) at 90% relative humidity for four days, moisture absorption of less than 0.03% by weight was evident.						
VOC Testing	Standard Method Version 1.2 for CDPH 01350: PASS for all testing scenarios						
Care Instructions	Dab Zintra with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth. For difficult stains, use a solution of household bleach (10% bleach / 90% water). To remove the bleach, repeat using a clean, water dampened cloth, then pat dry. Always test in an inconspicuous area first and if you don't see the expected results, contact us.						
Warranty	5 years						

	DOUBLE SIDED					
	LANDSCAPE				PORTRAIT	
	FULL HEIGHT		HALF HEIGHT		NARROW	WIDE
	NARROW	WIDE	NARROW	WIDE		
Inclusions:	Aluminium Tube Acrylic Comb 40 x Narrow Sticks End Capping	Aluminium Tube Acrylic Comb 20 x Wide Sticks End Capping	Aluminium Tube Acrylic Comb 20 x Narrow Sticks End Capping Tube Cover	Aluminium Tube Acrylic Comb 10 x Wide Sticks End Capping Tube Cover	Aluminium Tube Acrylic Comb 20 x Narrow Sticks	Aluminium Tube Acrylic Comb 10 x Wide Sticks
Width	48" (1219mm)	48" (1219mm)	48" (1219mm)	48" (1219mm)	46.9" (1191mm)	46.9" (1191mm)
Height	111" (2820mm)	111" (2820mm)	111" (2820mm)	111" (2820mm)	111" (2820mm)	111" (2820mm)
Depth	3.8" (96.5mm)	3.8" (96.5mm)	3.8" (96.5mm)	3.8" (96.5mm)	3.8" (96.5mm)	3.8" (96.5mm)
Individual Stick Width	1.66" (42mm)	4" (102mm)	1.66" (42mm)	4" (102mm)	1.66" (42mm)	4" (102mm)
NRC Rating	NRC 0.85	NRC 0.85	NRC 0.85	NRC 0.85	NRC 0.85	NRC 0.85
Material	Zintra Acoustic Panel – 100% Solution Dyed (Color Through) Polyester					
PET Thickness	1/2" (12mm)					
Application	Indoor Only					
Plain Colors	24					
Timber Print	4					
Premium Wood Print	12					
Customizable Print	Yes – get in touch to chat through your project requirements					
Assembly Required	Yes					
Fire Rating	ASTM-E84 – Class A classification AS ISO 9705 – 2003 – Group 1 classification EN-13501 – B-s2-d0 classification "					
Lightfastness	AATCC 16.3, Option 3: Zintra sticks – 1/2" (12mm) Panel color change at 40AFU is 4.5					
Temperature	Maximum temperature exposure is 240°F (115°C)					
Moisture Absorption	When exposed to an atmosphere of 120°F (49°C) at 90% relative humidity for four days, moisture absorption of less than 0.03% by weight was evident.					
VOC Testing	Standard Method Version 1.2 for CDPH 01350: PASS for all testing scenarios					
Care Instructions	Dab Zintra with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth. For difficult stains, use a solution of household bleach (10% bleach / 90% water). To remove the bleach, repeat using a clean, water dampened cloth, then pat dry. Always test in an inconspicuous area first and if you don't see the expected results, contact us.					
Warranty	5 years					

zintra[®]

STICKS

+1 855 922 7377
hello@zintraacoustic.com
zintraacoustic.com

Product: Zintra Curved Sticks - Wide & Independent Sticks - Narrow | Color: Premium Wood Print - Redwood

